



EVALUATION REPORT ON WATER REUSE TECHNOLOGIES AND PRACTICES IN AQUARES REGIONS

AQUARES A1.4: EVALUATION OF BEST PRACTICES FOR MONITORING, ASSESSING, AND ENSURING COMPLIANCE WITH WATER REUSE STANDARDS

November 2020



Oldenburgisch-Ostfriesischer Wasserverband







Authors

IWW Water Centre Moritzstraße 26 45476 Mülheim an der Ruhr www.iww-online.de

Kristina Wencki (Project Lead) Phone: +49 (0)208 40303-341 k.wencki@iww-online.de Alexandra Schmuck Phone: +49 (0)208 40303-257 a.schmuck@iww-online.de

Oldenburgisch-Ostfriesischer-Wasserverband (OOWV)

Georgstraße 4 26919 Brake

Silke Mollenhauer Telefon: +49 (0)4401 916-3302 mollenhauer@oowv.de www.oowv.de

Processing Period: August 2020 to November 2020

Results of the project with service no. 10187/2020/25514

IWW Rheinisch-Westfälisches Institut für Wasser Beratungs- und Entwicklungsgesellschaft mbH

Mülheim an der Ruhr, den 16.11.2020

ppa. i.V.

Dr. D. Schwesig A. Hein

Geschäftsführung: Lothar Schüller Technische Leitung: Dr. David Schwesig

Wissenschaftliches Direktorium Prof. Dr. Torsten C. Schmidt (Sprecher), Prof. Dr. Rainer Meckenstock, Prof. Dr. Stefan Panglisch, Prof. Dr. Andreas Hoffjan, Prof. Dr. Christoph Schüth



Amtsgericht Duisburg HRB Nr. 15508 Sparkasse Mülheim an der Ruhr IBAN DE18 3625 0000 0300 0312 50 SWIFT BIC SPMHDE3E Commerzbank AG Mülheim an der Ruhr IBAN DE57 3624 0045 0763 6236 00 SWIFT BIC COBADEFFXXX

Internet: www.iww-online.de





Executive Summary

"Water reuse policies advancement for resource efficient European regions" (AQUARES) is an INTERREG Europe project that brings together ten partners from nine countries to achieve efficient water management through water reuse. With regards to this, AQUARES activity 1.4 (A 1.4) focusses on existing water reuse monitoring practices used in the AQUARES partner countries Czech Republic, Germany, Greece, Italy, Latvia, Malta, Poland, Slovenia, and Spain. The objective of this study was to assess and identify the best practice that ensures compliance with existing national and European water reuse standards (WRS) applying for different sectors, e.g. agricultural, industrial or environmental uses.

Relevant data was identified by the AQUARES partners in a desk research and collected using a specially developed data collection tool. Based on the information provided, monitoring practises were evaluated individually according to a predefined point system in order to derive a ranking of the individual national approaches with regards to their level of effectiveness. In sum, the Maltese monitoring practise received the highest score and was classified as the most effective monitoring practice to ensure compliance with WRS. The Maltese monitoring practise is based on a guideline developed by the Joint Research Centre (JRC), which was also a major information source for the European Regulation on minimum quality requirements on water reuse in agricultural irrigation that entered into force in May 2020.

Key findings and conclusions drawn from the evaluation of the best practices for monitoring, assessing and ensuring compliance with WRS include:

- Practicability and flexibility: Monitoring programmes should be made fit-for-purpose ensuring minimum quality requirements but maintaining enough flexibility to allow for stricter emission limits depending on the local conditions of individual regions/member states, more frequent monitoring, and other influencing factors such as technical advances (e.g. monitoring equipment, method) and changes in focus parameters (e.g. emerging pollutants).
- Conformity with overriding directives and laws: Member states that already have a WRS in place may have to adapt their current practise to ensure conformity with the new EU regulations that entered into force in May 2020 and will be apply from 26 June 2023. However, if the WRS is already following an established approach (WHO, ISO, JRC) only minor adaptations such as frequency of monitoring, risk management or the inclusion of certain parameters may be needed.





- Level of digitalization: Digitalization can help to minimise health and environmental risks, e. g. through online (real time) monitoring of critical control points (CCPs). Collecting monitoring data online might generate additional benefits such as the potential to use big data analysis. Beyond monitoring, digitalization might help to manage water networks more systematically by installing intelligent sensors and benefit from opportunities such as smart metering.
- Transparency: Communicating the results to the public can help to increase confidence in water reuse projects.
- Compliance mechanisms: WRS should be accompanied by organisation structures with clear responsibilities and adequate measures defined to ensure compliance and efficiency of the requirements made.





Abbreviations

A 1.4 AQUARES Activity 1.4

BOD₅ Biochemical Oxygen Demand after 5 days

CCPs Critical Control Points

DWD Drinking Water Directive

EC European Commission

ICT Information Communication Technology

ISO International Organization for Standardization

JMD Joint Ministerial Decree

JRC Joint Research Centre

RBMP River Basin Management Plan

SSP Sanitation Safety Planning

TSS Total Suspended Solids

UWTD Urban Wastewater Treatment Directive

WHO World Health Organisation

WFD Water Framework Directive

WRS Water Reuse Standard(s)

WWTP Wastewater Treatment Plant





Contents

Executive	e Summary
Abbreviat	tionsIII
List of Fig	guresVI
List of Ta	blesVI
1	Introduction1
1.1	The AQUARES Project
1.2	Scope of AQUARES activity 1.4
2	Frameworks for water reuse management
2.1	Policy context of water reuse in the EU4
2.2	Regulation No. 2020/741 of the European Parliament and the Council of 25 May 2020 on minimum requirements for water reuse
2.3	Water reuse monitoring standards6
2.3.1	Monitoring procedures defined by Regulation No. 2020/741 of the European Parliament and the Council of 25 May 2020 on minimum requirements for water reuse
2.3.2	Minimum quality requirements for water reuse applications by Joint Research Centre
2.3.3	ISO 16075:201510
2.3.4	Guidelines for Safe Use of Wastewater, Excreta and Greywater by World Health Organisation
3	Materials and Methods12
3.1	Research methodology12
3.2	Data collection tool
3.3	Evaluation criteria13
4	Key findings14
4.1	Exemplary national water reuse standards in EU countries14
4.1.1	Short profile: Cyprus14
412	Short profile: France





4.1.3	Short profile: Portugal16
4.2	Water reuse policy framework in AQUARES partner countries16
4.2.1	Malta
4.2.2	Spain
4.2.3	Italy
4.2.4	Greece
4.2.5	Other countries without WRS19
4.3	Comparison of water reuse policy frameworks in EU member states with water reuse standards
4.3.1	Close up: Stakeholders
4.3.2	Close up: Elements of water reuse standards23
4.4	Evaluation of water reuse monitoring in AQUARES countries24
4.4.1	AQUARES partner countries without water reuse standards
4.4.2	AQUARES partner countries with water reuse standards
4.5	Guidelines on effective monitoring30
5	Conclusion
6	Literature
7	Annex37





List of Figures

Figure 1 Comparison of the types of stakeholders involved in providing feedback and the implementation of the water reuse standard/relevant policy frameworks in AQUARES partner countries
Figure 2 Overview of the level of involvement of the stakeholder types in the implementation of the standard across all AQUARES countries23
Figure 3 Inclusion of essential elements of a water reuse standard framework in AQUARES partner countries
Figure 4 Elements of water reuse monitoring implemented by AQUARES partners29
List of Tables
Table 1 Classification system of cases & points
Table 2 Water reuse regulations in EU member states according to research conducted within the scope of AQUARES 1.4 by LODZKIE
Table 3 Overview of the water reuse policy frameworks in AQUARES partner countries17
Table 4 Quality and Elements of Monitoring in AQUARES Partners 26





1 Introduction

In May 2020 the EU regulation No. 2020/741 on minimum requirements for water reuse for agricultural irrigation entered into force. This regulation is a response of the European Commission (EC) to the issue of growing water scarcity. Water scarcity has increased across the European Union in terms of quantity (e.g. limited access to new conventional water resources) and quality (e.g. contamination of water resources). In the next decades, water stress is likely to continue to intensify due to various reasons such as climate change (leading to changes in precipitation patterns, higher frequency and severity of droughts, higher irrigation water demand) and regional economic and/or population growth (leading to increased water demand for industrial and municipal purposes). According to the EC, it can be estimated that water scarcity currently affects at least 11% of the European population and 17% of the EU territory. The Mediterranean region is particularly affected by water scarcity with approximately 20% of the population living under constant water stress (EC 2017). In the Mediterranean area- but also selected other EU regions- freshwater resources are often not sufficient with regards to quantity and water quality to satisfy a populations water needs. Thus, alternative water resources, such as reclaimed water from treated municipal wastewater, are more and more considered as reliable alternatives to satisfy water demand.

Water reuse can and should be practised best fit-for-purpose in order to ensure fulfilment of the usage-dependent quality requirements for agricultural irrigation, industrial reuse, aquifer recharge or even potable reuse. Water reuse technologies are implemented worldwide, notably the US, Australia, Singapore, and Israel. In Europe there is still a high but nearly untapped potential. In northern Europe, recycled water is mainly used for urban, environmental or industrial applications. Best practice examples for the reuse of urban wastewater for industrial purposes, and for aquifer recharge can be found in the city Terneuzen in the Netherlands, and in Wulpen-Torreele-St. André in Belgium, respectively (Becker et al. 2017). Despite being coastal cities, water resources are limited in both regions due to the constant threat of saltwater intrusion into the groundwater aquifers. In Belgium, groundwater levels could be successfully raised by infiltrating highly treated urban wastewater into the local groundwater aquifer (Becker et al. 2017). In Terneuzen water scarcity is further increased by the large water demand of local industries, agriculture and urban users. 'The Dow Chemical Company' (Dow) Terneuzen is Dow's second largest manufacturing location with a great freshwater demand for its manufacturing processes. In order to meet its own freshwater demand, Dow Terneuzen has been investigating into





alternative water sources since the 1990ies. An alliance formed by the municipal water board, the city Terneuzen, the regional water supplier and Dow Terneuzen could develop a new form of water management that conserves freshwater and energy. Urban wastewater is treated to a very high quality that can be used by Dow Terneuzen twice prior to discharge – first as process water and second as cooling water. As of 2017, Dow was using 10,000 m³ recycled urban wastewater daily with the potential to increase the share of reused water in the future. The reuse of urban wastewater does not only save freshwater, but saves Dow Terneuzen 95% energy compared to the equivalent generation of freshwater by desalination (Becker et al. 2017).

Despite these best practice examples, to date, mainly the Mediterranean countries are practicing water reuse (e.g. Cyprus, Italy, Spain, Portugal, Malta, and Greece). In the southern EU member states reused water is applied predominantly for agricultural irrigation and for urban and environmental applications. It was estimated that for Malta, Cyprus, Greece and Spain water reuse might cover up to 26%, 7.6%, 5%, and 3%,of their future water demand in 2025 (Angelakis and Gikas 2014). As of 2015, within the EU only about 1.1 billion m³/year of treated municipal wastewater was reused, which is low compared to the annual EU freshwater withdrawal of 257 billion m³ (BIO 2015). It is estimated that the overall potential for water reuse in the EU is approximately 6 billion m³/year by 2025, which is six times the current volume (EC 2020). By exploring this potential, EU member states could significantly save freshwater resources, and at the same time, tap into an unused economic potential, since already a 1% increase in water industry's growth rate is expected to create up to 20,000 new jobs.

1.1 The AQUARES Project

The "Water reuse policies advancement for resource efficient European regions" (AQUARES) is an INTERREG Europe project¹, which brings together ten partners from nine countries (Czech Republic, Germany, Greece, Italy, Latvia, Malta, Poland, Slovenia, and Spain) to achieve efficient water management through water reuse, green growth, and improved environmental performance. AQUARES provides a platform for its members to cooperate, exchange best practices, and address territorial problems. One of AQUARES' goals is to develop nine action plans to improve selected policy instruments concerning water reuse. Thereby, AQUARES supports public authorities to implement efficient water reuse practices and reduce inefficient use of water, to benefit from EU financing tools, and to

¹ Further information: https://www.interregeurope.eu/aquares/





overcome conflicting interests by promoting public dialogue. AQUARES assists partner regions to save water through improved policies and better planning, to promote new business models that involve revenue streams from reusable water resources, to attract investments in more innovative and efficient water management technologies, and to mitigate the risks associated with volatile global economy and resource depletion.

AQUARES contributes to the EU 2020 strategy targets, according to which water reuse is one of the five priority areas of work of the European Innovation Partnership on Water.

1.2 Scope of AQUARES activity 1.4

The objectives of AQUARES activity 1.4 (A 1.4) is to identify best practices to monitor, assess and/or ensure effectively the compliance of i.e. water treatment plants with relevant quality standards/requirements. The activity's scope extends to the regions of the partnership and to all sectors for which water reuse requirements exist (agricultural, urban, industrial, recreational use, and aquifer recharge).

The policy goal of A 1.4 is to facilitate an exchange of experience regarding successful water reuse monitoring practices amongst the project partners. The results of A 1.4 will further provide input for the development of the partner's action plan, which aims to improve the policy instruments addressed by the project.

The aim of this evaluation report is to provide policy makers with a guideline on best practices for monitoring, assessing and ensuring compliance with water reuse standards (WRS). For this purpose, this study is addressing the following questions:

- What are the monitoring elements that project partners' regions and countries, and other EU-28 member states² use to ensure compliance with water reuse requirements?
- What is the most effective way to implement monitoring practices in the water reuse sector in AQUARES regions and countries, and other EU-28 countries?

2 Frameworks for water reuse management

To respond to water stress issues, EU regions should implement and promote efficient management of their water resources. Reusing treated urban effluent can be environmentally advantageous, since it is usually associated with lower environmental impacts than alternative supply solutions, such as water transfers or desalination. Further, the current

.

² The UK was still a part of the EU at the time of project development and data collection.





management practice of water in urban settings is characterised as an 'open loop' (i.e. water is abstracted, used once, and discarded). Water reuse practises can close this open loop, thereby helping to preserve water resources, and achieving full compliance with the circular economy objective.

Water reuse is a key aspect of the EU Water Framework Directive (WFD) (Directive 2000/60/EC, latest review in 2019 (SWD(2019) 439)), in which water reuse is mentioned as one supplementary measure to achieve the Directives environmental objectives. Additionally, water reuse is mentioned in the Drinking Water Directive (DWD) (Directive 98/83/EC). According to the Urban Wastewater Treatment Directive (UWTD) (Directive 91/271/EEC) water reuse should be applied whenever appropriate. Prior to May 2020, minimum requirements for water reuse across the EU member states were lacking and so was a coherent and comprehensive legislative framework. Due to the lack of European wide regulations, those EU member states that wished to implement water reuse often developed their own regulations or guidelines (e.g. Cyprus, Portugal, and France). These national guidelines diverged in some important aspects, such as the permitted uses of reclaimed water (Alcalde-Sanz and Gawlik 2014), thereby potentially evoking trade barriers, e.g. for agricultural goods irrigated with reclaimed water. This lack of harmonization in the regulatory framework to manage health and environmental risks was identified as one of the main barriers for the implementation of water reuse at the EU level so far and generated a lack of confidence in the health and environmental safety of water reuse practices (Alcalde-Sanz and Gawlik 2017).

2.1 Policy context of water reuse in the EU

The EC has been working on legislative and other policy instruments to boost water reuse when it is cost-effective and safe for health and the environment. The most relevant EU initiatives regarding water reuse include:

- Blueprint to Safeguard Europe's Water Resources: The need to address the problem
 of water scarcity at EU level has been acknowledged in the Blueprint to Safeguard
 Europe's Water Resources (COM(2012) 673). The document highlights water reuse
 as a concrete and valid alternative supply option to address water scarcity issues.
- Fitness Check of the EU Freshwater policy: In a building block of the Blueprint, the Fitness Check of the EU Freshwater policy (SWD(2012) 393), published in November 2012, concluded that "alternative water supply options with low environmental impact need to be further relied upon" in order to address water scarcity.

Kommentar [SMaE1]: Refers to fitness check and not an amendment of the Directive





- EU Action Plan on circular economy: A number of actions to promote water reuse were included in the EU Action Plan on circular economy (COM(2015) 614). According to this document, water reuse should be practised where it is cost-effective and safe for health and environment. One action calls for the preparation of a legislative proposal on minimum requirements for water reuse for irrigation and aquifer recharge. This proposal has been included in the EC's work programme of 2017 and 2018 as it contributes to the political priorities to promote a more circular economy.
- Proposal on the adoption of WRS for agricultural irrigation: A proposal on the adoption of WRS for agricultural irrigation was issued in May 2018 (COM(2018) 337). This policy development was supported by an impact assessment study in 2015, and a public online consultation involving both private citizens and stakeholder during the autumn of 2014. The aim of the public consultation was to evaluate the most suitable EU-level instrument/s to foster water reuse, while ensuring the protection of the environment and human health as well as free trade of food products. The online consultation was supported by a stakeholder meeting in December 2014 in Brussels. The public consultation revealed a general support for the initiative, in particular the development of EU-level minimum quality requirements for water reuse. A final report summarises the results of the online consultation and the stakeholder meeting (BIO 2015).
- Regulation No. 2020/741 of the European Parliament and the Council: The Regulation No. 2020/741 of the European Parliament and the Council of 25 May 2020 on minimum requirements for water reuse entered into force on 25 May 2020 and has to apply in national law from 26 June 2023. The minimum requirements are part of the new Circular Economy Action Plan (SWD(2020) 100), which was likewise adopted in 2020. According to this Action Plan water reuse should also be facilitated in other sectors than agricultural irrigation such as industrial processes.

2.2 Regulation No. 2020/741 of the European Parliament and the Council of 25 May 2020 on minimum requirements for water reuse

The regulation establishes harmonized minimum requirements across the EU member states in particular with respect to key parameters of pathogens, and the quality of reclaimed water and monitoring in combination with harmonized risk management tasks. It is expected to stimulate and facilitate water reuse in the EU.





The regulation will be effective whenever water reuse is practised, however member states will have the option to opt out of water reuse (Article 2). Member states have to justify their decision to opt out based on established criteria, present the decision in the River Basin Management Plans (RBMP) and need to review their decision every six years taking into account climate change projections. The responsibility of the reclamation facility operator to ensure that reclaimed water adheres at least to the minimum quality requirements at the point of compliance is formulated in Article 4. Minimum quality requirements are defined in Annex I, section 2. The regulation further requires a risk management plan (Article 5), permits (Article 6), compliance checks (Article 7), and public information (Article 9/10). The regulation has to be evaluated and reviewed eight years after entering into force (Article 12). This review has to focus specifically on: minimum quality requirements, key element of risk management, additional requirements set by competent authorities, impacts of water reuse on the environment and public health. The review should also consider to extend the scope of the regulation beyond agricultural irrigation.

In Annex II key elements of a risk management framework are presented. The risk management framework follows the World Health Organisation (WHO) guidelines (WHO 2006) as the most suitable approach to control health and environmental risks in water reuse practices. The risk assessment shall take into account the requirements and obligations, as a minimum, of other relevant EU policy frameworks such as Directive 91/676/EEC (Prevent water pollution from nitrates), Directive 98/83/EC (Protect areas for water intended for human consumption), and the WFD.

2.3 Water reuse monitoring standards

Water reuse monitoring standards refer to the procedures and tools that exist for safeguarding the quality of the water and for ensuring that there are adequate mechanisms for mitigating health, environmental, or biological risks involved. Monitoring activities can be further divided into operational, verification and validation monitoring; thus ideally ensuring the quality of water and minimising the risks from the point of withdrawal until the intended end use.

WRS are often formulated as risk management frameworks, including monitoring procedures. A risk management framework is a systematic management tool that consistently ensures safety and acceptability of water reuse practices. A central element is the holistic nature of the described approach, which means that it is sufficiently flexible to be applied to all types of water reuse systems, irrespective of size and complexity.





A systematic risk management framework approach is included in the EU Directive 2015/1787 that amends Directive 98/83/EC on the quality of water intended for human consumption. Internationally, the guidelines developed by the WHO, and by Australian and US governments are using the same risk management framework approach. In the context of water reuse, this approach consists of eight steps:

- 1) Assembly of a risk management team
- 2) Description of the water reuse system
- 3) Identification of hazards and hazardous events, and risk assessment
- 4) Determination of preventive measures to limit risks
- 5) Development of operational procedures
- 6) Verification of water quality and the receiving environment
- 7) Validation of processes and procedures
- 8) Management of incidents and emergencies

Of these eight steps, steps 5, 6 and 7 are considered main elements of monitoring; steps 1, 2, 3, 4 and 8 support monitoring, but are not monitoring procedures per se.

Operational monitoring includes the procedures that assure water safety, i.e. the delivery of the requested quality level of reclaimed water. It should further contain the management of incidents, emergencies and advanced additional mitigation measures regarding treatment. It applies to the whole water reuse system from raw water to end use. Important element of operational monitoring is the definition of critical control points (CCPs) (i.e. those points where a failure of standard operation could cause deterioration to the quality of the water, the point at which control can be applied and a hazard can be prevented, eliminated, or reduced). The definition of CCPs are crucial to monitoring, since they determine the focus of the operational monitoring, indicators and parameters that have to be monitored (e.g. physical, chemical and biological) including critical limits to signal if corrective measures are needed), monitoring method and frequency, corrective actions, documentation, and audits. The monitoring techniques and the frequencies with which they are applied should be chosen carefully since they ensure the effectiveness of the monitoring system. Online and real-time monitoring should be preferred where possible, since it provides immediate results and can trigger a quicker response to hazards.

Verification monitoring confirms the effectiveness of the operational monitoring, and manages the risks with water quality within the water reuse system. Verification monitoring is less frequent than operational monitoring, but generally includes more parameters and tests. Test are normally performed in an accredited analytical laboratory.





The goal of validation monitoring is to ensure that processes and procedures control hazards effectively, and that the water reuse system is capable of meeting its design requirements. One objective is to prove the ability to deliver the expected water quality specified for the intended use. Validation monitoring has to be executed when a new water reuse system is established, or when equipment is upgraded, or a new equipment or a new process are added.

A selection of monitoring water reuse standards are presented to highlight those water reuse monitoring standards that have been included in the A 1.4 data collection tool, and those that formed the basis of the water reuse monitoring standard included in Regulation No. 2020/741 of the European Parliament and the Council of 25 May 2020.

2.3.1 Monitoring procedures defined by Regulation No. 2020/741 of the European Parliament and the Council of 25 May 2020 on minimum requirements for water reuse

The monitoring procedures are described in Annex I of the new EU regulations. In section 2 of this annex, minimum quality requirements are defined for specific reclaimed water classes. For each water class (A: All food crops consumed raw where the edible part is in direct contact with reclaimed water and root crops consumed raw, all irrigation methods; B: Food crops consumed raw where the edible part is produced above ground and is not in direct contact with reclaimed water, processed food crops and non-food crops including crops used to feed milk- or meat-producing animals, all irrigation methods; C: Food crops consumed raw where the edible part is produced above ground and is not in direct contact with reclaimed water, processed food crops and non-food crops including crops used to feed milk- or meat producing animals, drip irrigation or other irrigation method that avoids direct contact with the edible part of the crop; D: Industrial, energy and seeded crops, all irrigation methods), permitted uses, irrigation methods, and minimum microbiological (E.coli, helminth eggs, legionella) and physio-chemical requirements (BOD₅, TSS, turbidity) associated to it are described. Minimum monitoring requirements are defined according to water quality class as well, and differ for instance with regards to the frequency of measurements required.

Samples to verify compliance with microbiological parameters have to be taken in accordance with DIN EN ISO 19458 or any other national or international standard ensuring equivalent quality. Monitoring consists of routine monitoring on minimum quality requirements performed by the reclamation facility operators, e.g. water samples have to be tested once a week for *E.coli* for reclaimed water of the quality class A, and validation





monitoring. Validation monitoring is based on bacterial, viral and protozoan indicators and has to be performed before a reclamation facility goes into operation, equipment is upgraded or new equipment/processes are added, and for water quality of class A. Validation monitoring covers a range of indicator microorganisms associated with target pathogens, namely bacteria, viruses, and protozoa.

The monitoring of minimum quality requirements is currently only defined until the point of delivery, e.g. that point where reclamation facility operators deliver the water to the customer. Potential quality changes past the point of delivery, i.e. in storage tanks or the distribution network, are not part of Regulation No. 2020/741. These risks should be covered by the accompanying risk management, which is mandatory and shall cover the complete system. Within the risk management there is the option to include additional requirements such as heavy metals, disinfection byproducts, trace organic chemicals, and antimicrobial resistances.

2.3.2 Minimum quality requirements for water reuse applications by Joint Research Centre

The Joint Research Centre (JRC) developed minimum quality requirements for water reuse applications in 2017 which are the basis of the EU Regulation 2020/741. The JRC approach in turn, follows the WHO recommendation. It includes a risk management framework with the previously defined elements (see introduction to chapter 2.3), which is essential for any water reuse scheme. One assumption of the JRC is that discharged water from wastewater treatment plants has to follow at least the minimum requirements defined in the Urban Water Framework Directive (UWFD) (Alcalde-Sanz and Gawlik 2017).

Monitoring consists of operational, verification and validation elements and should include an operational monitoring protocol to define operational procedures for activities and processes applied within the whole water reuse system from the point of entrance to the wastewater treatment plant (WWTP) until the irrigation system. The protocol should include CCPs, identify parameters, include online real time monitoring (if possible), and procedures for corrective actions. Verification monitoring of the environmental matrices at risk and validation of the systems' capability to deliver the required quality should be part of the monitoring. The frequencies of water quality monitoring are in line with the frequencies recommended by the ISO guidelines.

Minimum quality requirements include microbiological and physio-chemical parameters, associated limit values and monitoring frequencies. Further, the JRC defines preventive





measures to be adopted. Reclaimed water is defined according to quality classes from class A (high quality) to class D (minimum quality). Routine monitoring has to be performed to verify that reclaimed water is complying with minimum quality requirements. Validation monitoring is mandatory for reclaimed water of quality class A, which allows irrigation of food crops eaten raw. The JRC approach includes WHO recommended parameters but also viral and protozoan indicators for validation monitoring.

2.3.3 ISO 16075:2015

The International Organization for Standardization (ISO) issued recommendations for the application of treated wastewater for irrigation projects including recommendations for monitoring programmes in 2015. ISO 16075:2015 defines water quality requirements like microbiological and chemical parameters, recommendations for irrigation systems, and monitoring. Parameters and limit values are based on international regulations, such as WHO and US EPA guidelines. Monitoring is identified as a key feature to ensure that the system functions as planned and designed.

Within ISO there are five categories of wastewater defined according to its quality ranging from A (high quality) to E (extensively treated wastewater). The end use of the reclaimed water is coupled to the treatment quality (fit-for-purpose) and includes unrestricted irrigation of agricultural crops, restricted irrigation, or irrigation of private gardens.

The ISO provides a range of monitoring frequencies, which should be adapted to local conditions. This flexible ISO approach is used currently in Spain.

2.3.4 Guidelines for Safe Use of Wastewater, Excreta and Greywater by World Health Organisation

The Guidelines for Safe Use of Wastewater, Excreta and Greywater are designed to provide a framework to identify and manage health risk associated with the use of wastewater, excreta and greywater in agriculture and aquaculture (WHO 2006). The WHO recommends the inclusion of a risk management plan together with a risk assessment for water reuse systems. Within the Sanitation Safety Planning (SSP) Manual for safe use and disposal of wastewater, greywater and excreta, the WHO provides an assistance tool to implement the guidelines by presenting the recommended risk based approach in a stepwise process with monitoring being one of six steps (WHO 2016). The SSP follows the concept of the WHO water safety plan developed for drinking water supply systems (WHO 2004).





Monitoring is designed to provide a simple and rapid feedback on how effectively the control is operating in order to take corrective actions as timely as possible through operational monitoring. Operational monitoring contains relevant parameters (e.g. flow rates, turbidity, pH, BOD, dissolved oxygen), method and frequency of monitoring, critical limits, and control measures. Further, through dedicated verification procedures it is checked periodically whether the system meets the intended performance outputs (e.g. quality of effluent). Verification procedures require the selection of critical points along the sanitation chain and generally a more complex analysis due to the types of parameters measured (e.g. *E.coli*). It should contain all elements of operational monitoring e.g. parameters, frequency, methods. However, verification procedures require fewer monitoring points, i.e. generally system end points are observed, and less frequent measurements compared to operational monitoring. For example, it is recommended to monitor microbial performance, e.g. *E.coli* and helminth eggs at 3 to 6 months intervals at the points of exposure (WHO 2006).

Lastly, audits can be used as part of the surveillance, especially in those countries, where certification requirements exists. Audits should show that the SSPs are designed and implemented correctly, and that they are effective. Water reuse auditing is explained in more detail in WHO Practical Guide to Auditing Water Safety Plans (2016).





3 Materials and Methods

3.1 Research methodology

Data on the current monitoring practices of each partner country was collected by AQUARES partners by desk research in the period of March 2019 to October 2019. The partners were instructed to collect information from primary sources (e.g. surveys, interviews, case studies) and from literature. The desk research was supposed to include:

- internal reports and studies on water reuse (wastewater and water reuse, impact assessment for water reuse, proposals or communication on wastewater and water reuse, communication with stakeholders), and
- external reports (policy framework EU, WHO/ISO/national regulations, journals and academic sources, research reports, EU projects).

A selection of external sources useful for investigation was distributed by A 1.4 task members to the partners.

3.2 Data collection tool

The data was inserted by AQUARES partners in a data collection tool that allowed for consistent and structured documentation of relevant data. The data collection tool consisted of 25 questions, which were a mixture of multiple choice (16) and text input (9) questions, split in three sections:

- Section A aimed to gather information on the overall water reuse policy framework that exists in partner's territories and countries, the elements included in the framework, and the number of treatment plants, sectors, and actors benefiting from it.
- Section B focused on the monitoring procedures that are in place to ensure compliance with WRS, i.e. elements that comprise monitoring, its effectiveness and reporting mechanisms.
- Section C gathered information about the elements that support monitoring indirectly, i.e. adequate laboratory equipment and personnel.

All project partner filled-in the input forms according to the provided methodology guidelines. The desk research was performed on national level, except MURCIA-GDW (Spain), which gathered regional data. Complementary to its national data, LODZKIE (Poland) collected data on the relevant practices of other EU-28 countries (Cyprus, France, Portugal, UK, Ireland, Luxembourg, Belgium, Netherlands, Sweden, Finland, Denmark, Slovakia, Lithuania, Estonia, Hungary, Bulgaria, Romania, Croatia, Austria).





3.3 Evaluation criteria

The information provided by each project partner was evaluated using pre-defined evaluation criteria that are part of a scoring system (see Appendix 1). The evaluation was made based on the responses to 13 (multiple choice) questions. Points were awarded for each of the questions with a maximum score of 300 points in total. Based on the score, each monitoring framework was classified as best (>220), good (181-220), promising (121-180) or poor (0-120) (see table 1), and ranked in order of effectiveness. The monitoring practice with the highest score was identified as the most effective practice.

Table 1 Classification system of cases & points. The table is adapted from OOWV (2018).

Classification system of cases	Points
Poor	0-120
Promising	121-180
Good	181-220
Best	>220





4 Key findings

4.1 Exemplary national water reuse standards in EU countries

At the time of the data collection no harmonized legislative criteria on water reuse across the EU were available. Thus, contents, obligations, responsibilities, and implementation status of national legislations differed between EU member states. In some countries WRS exists, other have requirements or guidelines implemented, or are in the process of preparing them (see table 2).

Table 2 Water reuse regulations in EU member states according to research conducted within the scope of AQUARES 1.4 by LODZKIE: The table is adapted from ASM on the basis of Water Reuse – Legislative Framework in EU Regions (2018)

Water reuse regulation	Countries
Water Reuse Standard	Cyprus, France, Portugal, Greece, Italy, Spain
Requirements/Guidelines	Malta, Denmark
Guideline Proposals	Belgium, Bulgaria
Other relevant measures or incentives	Belgium, Bulgaria, Hungary, Netherlands, Romania, UK, Germany, Slovenia, Latvia, Poland
None identified	Austria, Croatia, Estonia, Finland, Ireland, Lithuania, Luxembourg, Slovakia, Sweden

Of the 28 selected member states, six have either a WRS or practices governing water reuse implemented: Cyprus, France, Greece, Italy, Portugal, and Spain. In Malta water reuse is regulated via minimum requirements on water reuse. A summary of WRS of countries that are not covered by AQUARES partners (i.e. Cyprus, France, and Portugal) is presented based on the information gathered by LODZKIE, Poland.

4.1.1 Short profile: Cyprus

Policy framework

- Water Pollution Control Laws (106(I)/2002 to 2009)
- Water Pollution Control Regulations of 2003 (No. 772/2003)
- Water Pollution Control Ministerial Decree of 2004 (No. 111/214)
- Code of Good Agricultural Practice Decree (No. 263/2007)

Description

In Cyprus, the risks of treated effluent reuse are minimised through strict regulations, advanced treatment, mandatory code of practice, research, and quality control. Mandatory tertiary treatment was introduced with the aim to eliminate health and environmental risks

Kommentar [DHaE2]: Which is inline with the JRC guidance document on minimum quality standards for water reuse.





and concerns, and to reduce scepticism of relevant stakeholder on water reuse. By this means barriers to water reuse decreased, while public acceptance and marketability of crops increased. Further, reclaimed water is cheaper than freshwater, thereby adding an economic incentive. To achieve the lower price of reclaimed water, the government pays for treatment and the cost of infrastructure to the agricultural areas in case of new irrigation networks.

Within the WRS discharge permits are required. The quality control within the WRS contains procedures on sampling and analysis following the requirements of their discharge permits. Monitoring procedures include quality characteristics and frequency of controls of treated effluent. The Code of Good Agricultural Practices supports the WRS by stating which crops may be irrigated with reclaimed water. Further, it defines the appropriate irrigation methods according to the kind of crops and water used, and safety precautions for the proper use of water (e.g. only authorised persons, marking pipes, ensure protections to hydrants).

4.1.2 Short profile: France

Policy framework

- Circular no. 51 of July 22, 1991 of the Ministry of Health defining water reuse criteria
- Order of 2014 (Journal Officiel de la République Française (JORF) num. 0153, 4 July 2014)

Description

French water reuse requirements were enacted in 2010 in form of regulations that follow the revised WHO guidelines of 2006. The French criteria include guidelines for Enterococci, spores and *E.coli* limits. The JORF num. 0153 passed at 4th July 2014 addresses the use of water from treated urban wastewater for irrigation of green areas such as golf courses.

The French WRS introduces quality standards that are defined according to chemical and microbiological properties, the intended end use, and monitoring requirements. A higher level of human exposure requires a higher quality standard, which in turn involve more complicated treatment methods and therefore higher prices of water. There are currently four quality categories ranging from A (high quality) to D (minimum quality). The WRS also mentions setback distances, soil water content, soil properties, parent material and irrigation methods. Water reuse in France is intended for agricultural and green area irrigation only. According to research conducted by LODZKIE, water reuse is not commonly practised in France. It is restricted to certain regions and only about 40 projects were identified.





4.1.3 Short profile: Portugal

Policy framework

NP 4434 2005 Guidelines for Reuse of reclaimed urban water for irrigation, Portugal
 Quality Institute

Description

In Portugal, WRS are issued as a guideline only. The WRS is enforced through permitting requirements, and applies only to urban wastewaters, and agricultural and landscape irrigation. The WRS contains quality requirements (e.g. microbiological characteristics of water), guidance on safe practices (e.g. irrigation equipment and methods), and environmental protection including verification monitoring. The irrigation methods depend on the use of the plant, which are classified in four classes from A to D according to the level of risk of microbiological contamination generated by irrigation with treated urban wastewater; nearly all irrigation methods are accepted but preference is given to those that limit the contact between plant and water, and reduce runoff and risk of spray. The WRS also contains a risk management framework, which establishes procedures to reduce risks to groundwater and surface water, and human and environmental health. Operational monitoring procedures and a technical guide on water reuse are in place.

4.2 Water reuse policy framework in AQUARES partner countries

Out of the nine countries studied in AQUARES only four have a standalone WRS (Spain, Italy, and Greece) or minimum quality requirements (Malta) implemented. Of those four partners, Malta is the highest scoring country with 224.5 points, followed by Spain, Italy and Greece with 213, 208 and 180 points, respectively.

In the other participating countries (Czech Republic, Germany, Latvia, Poland, and Slovenia) water reuse is currently not regulated via standalone standards or minimum quality requirements. Despite the lack of regulation, water reuse or *defacto* reuse, e.g. the unintentional reuse of water, may be practised.

Table 3 provides an overview of the overall water reuse policy framework as reported by project partners. The information on Spain is a combination of the regional data provided by Murcia and the national data provided by the Euro-Mediterranean Water Institute Foundation. The regional and national data on Spain only differs in the purpose/use of the WRS. The divergence in information is indicated in the table by a (*).





Table 3 Overview of the water reuse policy frameworks in AQUARES partner countries.

Criteria	Malta	Spain	Italy	Greece	Poland	Latvia	Czech Republic	Germany	Slovenia
WRS implemented	No	Yes	Yes	Yes	No	No	No	No	No
Name of WRS or most relevant framework	Minimum Requirements for water reuse in agricultural irrigation and aquifer recharge	Royal Decree 1620/2007 of 7 December	Ministerial Decree 185/2003	Joint Ministerial Decree (JMD) 145116/11	KPOSK Act of 20 July 2017 EU Proposal on Minimum Requirements for Water Reuse	Law on Water Management 2002	Water law 254/2001, Government Regulations 401/2015 and 57/2016	Water Resource Act, Lower Saxony Water Act	Decree on the Discharge and Treatment of Urban Wastewater (98/15, 76/17)
Geographical Range	National	National, Regional	National, Regional	National	National	National	National	Regional	National
Purpose/use of WRS or most relevant framework	Agricultural, Aquifer Recharge, Landscaping, Industrial	Agricultural*, Industrial, Urban, Recreational, Environmental	Agricultural, Industrial, Urban	Agricultural, Industrial, Urban, Environmental	Agricultural, Industrial, Recreational	Industrial, Urban	Industrial, Urban, Recreational	Agricultural, Industrial, Urban, Recreational	Urban
Standalone	No	No	No	No	EU proposal: Yes, Others: No	No	Yes	No	No
Inclusion of a risk management approach	Yes	Yes	No	No	Yes	Yes	No**	No**	No**

^{*} Almost exclusively agricultural use in the Murcia Region

Kommentar [SMaE3]: National – as today all countries are bound by the standards in the Regulation

^{**}No water reuse standard is implemented.





4.2.1 Malta

In Malta water reuse has already been practiced as part of the integral water management for many years. Water reuse is regulated via the national policy guideline. According to this law, reclaimed water may be used for agricultural irrigation, irrigation of public spaces, street cleaning, process water, and aquifer recharge. It is not allowed to reuse water for tourism or recreational purposes (see AQUARES activity A 1.2). Water reuse is practised on a national scale by three treatment facilities located in the North and South of the island as well as on Gozo. In total, 73,000 m³/day of water is reused. End users are exclusively farmers; in total 491, of which 122 are located in Gozo, 353 in North Malta, and 16 in South Malta.

Malta is the partner with the most effective water monitoring standard/minimum requirements. Water reuse is regulated via minimum requirements, which were developed by the JRC (Alcalde-Sanz and Gawlik 2017) and are regulated by the Food and Safety Commission (i.e. Public Health Regulatory Agency). The minimum requirements are part of the second RBMP³, and include a risk management framework (see table 2) consisting of all identified risk framework elements. Malta is the only country that has a dedicated (risk) management team. Relevant stakeholders were consulted in and provided opinions and information on the process of implementing the minimum requirements on water reuse through the Food Safety Commission.

Water reuse requires a authorisationreclaimed, which is issued by the Food and Safety Commission. The permit granting process is described as very effective, i.e. without delays or administrative setbacks. An internal compliance mechanism monitors compliance with the minimum requirements; generally most compliance issues are treated in time and resolved. In case that key monitoring parameters are exceeding the values defined in the JRC guidelines, operators are informed and actions are taken in accordance to the type and frequency of exceedance. The used monitoring checks are defined by EU regulations (Directives 91/271/EEC and 2000/60/EC) and include further physio-chemical parameters (e.g. micropollutants, trace residues, trace medicines). So far, the highlighted guidelines have never been exceeded from the commissioning stage.

4.2.2 Spain

_

In Spain, water reuse is governed by the Royal Decree 1620/2007, which was developed by the Ministry of the Presidency and implemented by the Spanish River Basin Authorities. The

³ https://www.energywateragency.gov.mt/life-integrated-project/





WRS is considered as the mandatory minimum requirements. The Spanish River Basin Authorities demand for stricter quality conditions of treated effluents that are adapted to the most similar use of the quality standard laid out by the Royal Decree 1620/2007. The WRS is part of the Law 11/2005 of June 22, and therefore also part of the wider policy framework of the National Hydrological Plan and of the Spanish Water Law.

In Spain, an estimate of 540 WWTPs are implementing tertiary treatment which fulfil the requirements for water reuse. Approximately 400 million m³/year or 13% of treated wastewater are reused, mostly in agricultural irrigation (60%). In Murcia, of the 93 WWTPs, 60 have tertiary treatment implemented and 33 have secondary treatment plus disinfection. The regions reported that the 93 WWTPs generated approximately 110 million m³/year (data from 2019) of reusable water (i.e. 96% of wastewater generated in Murcia), which covered around 10% of the agricultural water demand of the region⁴.

Water reuse requires a permit, which is issued by Water Authorities, and granted on a public tender basis when the water volume is over 100,000 m³/year. Non-compliance is managed by discontinuing reuse until the cause of non-compliance is detected. Treated water is dumped in the meantime and extraordinary fines may apply for the WWTP operator. Compliance checks are carried out by the holder of the permit and the water authority at the outlet, and by the end users at their own intake. The processes of granting permits, managing non-compliance, and compliance check procedures are considered as very effective. Relevant stakeholder have increased managerial responsibilities in implementing the WRS and are engaged in co-shaping the policy direction of the standard.

4.2.3 Italy

The Italian WRS was developed by the Ministry of the Environment and for Territorial Protection and is implemented by the Regional Agencies for Environmental Protection, local Sanitary Agencies, and local Water Services Authorities. The WRS is part of the Framework for the environment, Leg. Decree 152/2006. It defines reuse purposes and application areas, quality objectives depending on end use (e.g. 53 physio-chemical and 2 microbiological parameters for urban and agricultural uses), and monitoring obligations. Regional authorities must define a monitoring programme including a list of hazardous parameters to be monitored in discharged water, which will be executed by the owner of the water distribution network. Monitoring data has to be reported yearly to the Regional Authorities.

⁴ https://www.esamur.com/reutilizacion





As of 2015, tertiary/advanced treatment was included in 2309 or 12.9% of Italy's WWTPs that cumulative treat 59.6% of urban wastewater. Despite that most of these WWTPs are located in the northern regions, most southern regions WWTPs have advanced treatment. According to the WRS regional authorities regulate the permit granting process, take steps in case of non-compliance, i.e. warnings, temporarily suspension of the authorization, withdrawal of the authorization, and must ensure a monitoring protocol. Neither a risk management framework nor monitoring procedures are defined within the WRS. Italy reported the lowest stakeholder engagement in terms of stakeholder involvement in implementation of the WRS of AQUARES partners.

4.2.4 Greece

The Greek water reuse standard, the Joint Ministerial Decree (JMD), was developed jointly by several Ministries (see Appendix) and is implemented by the Ministry of Environment and Energy as well as the Decentralized Directorate for Water Management. The JMD describes measures, definitions and procedures for the reuse of treated wastewater not only for agricultural and industrial purposes but also for aquifer recharge. It complies with several EU Directives. Within the JMD specific characteristics of wastewater reuse are described, e.g. the categories of reclaimed water (depending on water quality), specific requirements for reclaimed water classification and monitoring requirements.

To date, water reuse is practiced by 25 wastewater treatments plants, which reclaim only 2% of the wastewater quantities treated. Reclaimed water is used for agricultural irrigation. Monitoring procedures are defined within the JMD, however, a risk management framework is not included. Water reuse permits are issued by the Coordinator of the Decentralized Administration, along with recommendations and opinions of the responsible and competent authorities. Permit seekers must demonstrate compliance with environmental conditions defined by law, e.g. by supplying the authorities with the design and the operation of the activity. Authorisation is granted for water reuse operations that are in line with environmental objectives, and are compatible with the approved program of measures. Overall, the permit granting process is operational. Compliance with the conditions of the permits should be checked regularly by the implementing authorities. Any non-compliance or environmental liability is foreseen with a penalty.

4.2.5 Other countries without WRS

The AQUARES partners without national WRS (Poland, Latvia, Czech Republic, Germany, and Slovenia) collected data on the regulations and laws relevant to water reuse. These





regulations and laws were all part of the wider EU Community Legislation, namely UWTD, WFD, and Directive 2006/118/EC (Protection of Groundwater against Pollution). These Directives aim to reduce untreated discharges, thereby protecting water resources and the environment, add to the sustainable development goal especially with regards to water, and maintain the supply of drinking water. Within UWFD and WFD a risk management framework is included as well as monitoring procedures for wastewater discharge including permits, non-compliance, and compliance check.

In Poland water management is under the responsibility of Polish Water, and by those entities that purify and reuse water or discharge it into the environment. A risk management framework is part of the Polish water laws and also includes monitoring procedures. The discharge of water requires permits, which are issued by relevant public authorities. The underlying authorization process is described as effective. Non-compliance issues are treated in time and are resolved. Compliance checks are very effective.

Within **Latvian** water law, permits are only required for the discharge of wastewater loads exceeding 5 m³/day. Permits always include monitoring and analysis requirements. The permitting process shows some potential for improvements especially with regards to delays and bureaucratic drawbacks that are reported. The State Environmental Services act as the enforcement and inspection authority, which is also allowed to penalise non-compliance with taxes. This process is described as very effective.

Water management in the **Czech Republic** is governed by several legal documents, which aim to transpose the European Community legislation. Within this policy framework, there are monitoring procedures and procedures to manage incidents and emergencies. Wastewater discharge is accompanied by a very effective permit granting process, an effective non-compliance process, where at least half of the non-compliance issues are resolved, and a very effective compliance check, which is conform to EU regulations.

Those countries that reported on the status of connectivity to WWTPs, identified a difference for urban areas where connectivity was generally high, e.g. 95% in Poland, 84.1% in Latvia, while rural areas had less infrastructure in place, e.g. only 25% in Poland and 70% in Latvia (data from 2016). In order to fully exploit the potential of water reuse, the connection of urban and rural areas to WWTPs should be maximised within EU member states. Losing a large part of urban wastewater due to non-collection, is an inefficient use of the resource. Besides the need to increase the connection to WWTPs, the sewage treatment infrastructure should also be improved, e.g. the level of tertiary treatment. For instance, in Poland tertiary treatment is installed in 853 out of the 4,139 industrial and municipal WWTPs (data from





2018), thereby limiting the amount of WWTPs that could practise water reuse according to the new EU regulation. All member states should also aim to minimise water losses from the sewage system in order to increase the recovery potential of wastewater. Estimates water losses of the individual AQUARES partners are reported in AQUARES activity A 1.2.

4.3 Comparison of water reuse policy frameworks in EU member states with water reuse standards

Common aspects covered by WRS in AQUARES partners' countries and other EU countries are the listing of critical analytical parameters (i.e. microbiological and physio-chemical) often with maximum limit values for each parameter, monitoring protocols and additional preventive measures for health and environmental protection. The WRS reflect the requirements of the EU Directives 91/271/EEC, 2008/105/EC, and 91/676/EEC regarding physio-chemical parameters, and were issued for a national coverage with regional adaptions where appropriate. For instance the frequency of analysis (Portugal), the types of stakeholders included and the application areas of reused water (Spain) may differ regionally. The WRS are reported to have very effective procedures for granting permits, managing non-compliance, and regulating compliance checks.

All WRS include a bacterial indicator but not always the same. So far, the risk of pathogenic viruses and protozoan parasites are only considered in France and Malta. Cyprus´, Portugal´s and the EU regulation include helminth eggs, which are recommended by the WHO but not included in the US EPA or JRC guidelines, since helminth eggs are not considered a risk in developed countries (Alcalde-Sanz and Gawlik 2017). Other differences in WRS include the end-uses of reused water as well as the types and level of engagement of relevant stakeholders in the implementation process.

4.3.1 Close up: Stakeholders

The inclusion of relevant stakeholders in the implementation of water reuse practices is mentioned as success factor. Within the data collection tool, the AQUARES partner were asked to select the stakeholder groups that were involved feedback processes and implementing the standard (see figure 1). NGOs, consumer representatives, and local communities/citizen initiatives are the stakeholders are barely included. Each AQUARES partner reported the involvement of at least public authorities, water supply companies/organisations and the operator/owner of the reuse plant system.








Figure 1 Comparison of the types of stakeholders involved in providing feedback and the implementation of the water reuse standard/relevant policy frameworks in AQUARES partner countries

The involvement of stakeholders in Spain may differ on a regional level, since there were more stakeholder groups involved in the Murcia region than required on a national level. WRS should allow for enough flexibility in terms of stakeholder engagement when implementing a national WRS on a regional scale. Regional groups such as consumer representatives and local communities may be crucial in the implementation process in order to increase public acceptance and decrease barriers and concerns of WRS.

The level of involvement of the stakeholders differed according to the AQUARES partners' feedback, however all AQUARES partners reported some level of stakeholder involvement. Over half of the AQUARES partners (70%) reported either a minimum stakeholder involvement of type 2 (stakeholder information) or type 3 (stakeholder consultation), which scored 30% and 40%, respectively (see figure 2). Only Spain is currently granting stakeholders managerial responsibilities, thereby allowing them to take a level of ownership of WRS by shaping the policy direction of the standard (type 5, reported in Spain on national and regional level).








Figure 2 Overview of the level of involvement of the stakeholder types in the implementation of the standard across all AQUARES countries.

Within the new EU regulation, the level of stakeholder engagement is not regulated; however, the public needs to be informed regularly about water reuse projects. The early inclusion of relevant stakeholders in water reuse projects is a key element of implementation success. This may be especially important in those countries, in which water reuse has not received a lot of attention yet, or in countries where a large opposition to water reuse is expected. A high level of stakeholders inclusion, for instance as reported in Spain, including the implementation of advanced treatment to eliminate health concerns as in Cyprus, may be advisable to enhance the implementation success of future project.

4.3.2 Close up: Elements of water reuse standards

Of the AQUARES partner countries with a WRS, Malta is the highest scoring country, followed by Spain. The Italian WRS does not contain elements crucial for a risk assessment and preventive measures to limit risks. The Spanish model on the other hand lacks procedures to manage incidents and emergencies. The Greek WRS does neither include elements crucial for a risk assessment nor procedures to manage incidents and emergencies. All AQUARES partner countries authorities except for Malta lack the operation of a (risk) management team (see figure 3).








Figure 3 Inclusion of essential elements of a water reuse standard framework in AQUARES partner countries

Note: Each element gave 10 points, with a total score of 80 points. Slovenia did not report any data, because it does not have a WRS implemented.

Operational procedures for monitoring are implemented in all partner countries except Slovenia, and verification and validation procedures are implemented in all partner countries except Germany and Slovenia (see figure 3). When comparing the AQUARES partner countries without WRS it has to be noted that a direct comparison may not be possible, because they reported on different data. Latvian, and the Czech Republic partners reported on their general policy framework concerning the treatment of urban wastewater and management of water. The Slovenian did not report any data, due to the lack of a national WRS. Germany is practising water reuse in two WWTPs, however not regulated by a specific WRS and therefore not accompanied by more WRS elements.

4.4 Evaluation of water reuse monitoring in AQUARES countries

The evaluation of water reuse monitoring standards will primarily focus on those partners that have a WRS implemented (Malta, Spain, Italy, Greece) (see table 4). The information delivered by the other AQUARES partners is presented separately to show the quality of monitoring standards that are already in place for other policy instruments. If monitoring is





already effectively practised for other water management aspects such as the fulfilment of requirements concerning the discharge of urban wastewater, this monitoring infrastructure may be transferable to water reuse monitoring, thereby facilitating the implementation of water reuse monitoring standards. The collected data on quality and elements of monitoring by AQUARES partners is presented in table 4.





Table 4 Quality and Elements of Monitoring in AQUARES Partners

		With water reuse standards				No water reuse standard				
Criteria	Malta	Spain	Italy	Greece	Poland	Latvia	Czech Republic	Germany	Slovenia	
Definition of monitoring standards within the WRS	Yes	Yes	No	Yes	No	No	Yes	No	No	
Monitoring follows established approach/uses best practices	WHO, ISO 16075:2016, ISO 16075:2015	USEPA Guidelines for Water Reuse	ISS database based on UNI CEI EN ISO/ICE 2015:17025	WHO, ISO 16075:2016	WHO, ISO 16075:2016	WHO	No	DIN 191650, category IV	No	
Data transparency/ administrative efficiency	ICT	ICT	ICT	Release the data to public, regular public reports ICT	Release the data to public, regular public reports	Release the data to public, regular public reports	Release the data to public, regular public reports	Intern data files (Excel)		
Problems with the monitoring practice	Minor to no difficulties	No difficulties	No difficulties	Minor difficulties	Minor difficulties	Minor difficulties	Major problems that hindered implementation	Minor difficulties	Occasional significant problems	
Effectiveness of implementation	Smooth, outperformed expectations	Outperformed expectations (Murcia) Smooth	Outperformed expectations	Smooth	Smooth	Smooth	Implementation was hindered but not fully	Smooth	Problems were treated in time and did not pose a problem for the implementation	
Skilled personnel	Qualified, up to date	Qualified, up to date	Qualified, up to date	Qualified, up to date	Qualified, up to date	Qualified, up to date	Qualified	Qualified, up to date		
Adequate lab equipment	Advanced	Advanced (Murcia)/ Adequate	Advanced	Advanced	Advanced	Advanced	Adequate	Adequate		
Score	224.5	213	208	180	262	254	108.5	96	33	
Classification	Best	Good	Good	Promising	Best	Best	Promising	Poor	Poor	





4.4.1 AQUARES partner countries without water reuse standards

In Poland, monitoring procedures are indirectly defined in the Water Law Act. They are based on the WHO guidelines and ISO 16075:2016. Current monitoring practice could be improved by adding online monitoring facilities. The Latvian monitoring procedures are also based on the WHO guidelines and include all relevant monitoring elements. In Latvia, binding regulations of municipalities determine minimum requirements for wastewater collectors; these requirements include an agreement about the delivery of collected wastewater with the WWTP, and a requirement to submit data about the collected wastewater volume. Inspection plans are developed by the State Environmental Service every year, which determine the frequency of inspections of wastewater discharge permit holders. From Latvia, no problems with the implementation of the monitoring procedures were reported. For Poland some problems were identified, namely problems related to an ambiguous understanding of issues, which lead to confusion on the implementation controlling line, and the short time in which monitoring standards need to be implemented. Further, there may be interpretation problems within documents that originally were not prepared in Polish, due to incorrect translations of the water industry specific language. Both in Poland and in Latvia, there are no ICT methods in place, instead monitoring data is released to the public via regular public reports. Current monitoring procedures are assessed as being effective.

The **Czech Republic**'s monitoring procedures are defined but do not follow an established approach. The data on monitoring is released to the public. Problems are reported in terms of the implementation of monitoring in small WWTPs. There are currently not enough officials who can control compliance and there are reports of non-compliance with the quality of sludge cleaning. Due to these problems the monitoring is assessed as not being very effective. Further, the supplementing elements (personnel and lab equipment) could be updated to the newest standards (see table 4).

Water reuse in **Germany** is currently limited to two WWTPs with the end product being used for irrigation. There is no data on the number of end users. Water reuse is not accompanied by a risk management framework, but there exist descriptions of the reuse system and operational procedures for monitoring. Monitoring procedures are based on DIN 19650, category IV⁵, which defines physical water quality parameters and indicators, manual and verification monitoring. Data is documented in internal data files. Weekly data on nutrient contents of the reclaimed water are provided to the farmers for needs-oriented fertilisation.

-

⁵ DIN 19650, 1999, Hygienic-microbiological classification and application of irrigation water, version 2016.





Sampling is automated. Monitoring is judged as effective, however the lab equipment could be updated to include the possibility to analyse emergent pollutants.

In **Slovenia** the decree on the discharge and treatment of urban wastewater (98/15, and 76/17) requires that public utilities are obliged to report the amount and the purpose of municipal wastewater to be reused, and the treatment plants from which urban wastewater is being reused. So far, only a small part of the treated wastewater is reused including reuse within the installation itself. There is no risk management framework that accompanies the reuse. Monitoring of wastewater treatment and discharge is based on EU and WHO guidelines, but there is no monitoring specifically for water reuse.

4.4.2 AQUARES partner countries with water reuse standards

In **Greece**, half of the identified monitoring procedures are implemented and assessed as effective. While operational monitoring is included, the current monitoring procedure are not conducted solely for the purposes of reuse, but in most cases are already performed by the wastewater treatment plant (see figure 4). In the future, this has to be included under the EU Regulation (EU) 2020/741. According to the Greek partner, the requirements foreseen within the JMD is more stringent than the EU water reuse standard defined by the UWD. For that reason, one problem that was reported as hindering the implementation of the monitoring procedures is the high infrastructure cost that is associated with wastewater treatment in Greece. Increasing the water reuse efforts will require not only investments in monitoring processes but also investments in new infrastructure, e.g. distribution systems from the reclamation facilities to the reused water users. These costs associated with water reuse projects may be one barrier to implement water reuse not only in Greece but in all EU countries.

In **Italy**, regional authorities define monitoring procedures within the Program for Protection and Use of Water. Monitoring is jointly managed by water utilities and the regional agencies for environmental protection. Procedures on sampling, preservation, analysis, laboratory best practices are included in the analytical methodologies database of the Institute Superiore di Sanita. This database is based on UNI CEI EN ISO/ICE 17025:2005; regional authorities can define updated guidelines on more recent standards. Italy scored highest in the rubric of essential elements on water reuse monitoring of the three AQUARES partner countries with WRS (70 out of 85 points, see figure 4).

In **Spain**, the monitoring procedures are based on the US EPA 2004 Guidelines for Water Reuse, however, described as more thorough and strict. Monitoring covers the treatment plant, the water authority, and the final users. The national procedures contain six of the





eight monitoring elements, but Murcia only reported five monitoring elements (i. e. procedures for initiating corrective actions are not applied in Murcia) (see figure 4). In Murcia, the quality of monitoring is judged to be absolutely effective. However, problems may derive from inadequate facilities to achieve the quality requirements. Although the lab equipment is adequate to measure water quality parameters, microorganisms and pathogens, it may lack nationwide coverage for additional parameters such as micro-pollutants or trace organic chemicals.




Figure 4 Elements of water reuse monitoring implemented by AQUARES partners

Note: Each element was awarded 10 points, except water quality parameters which scored 5 points each. The total score is 95 points. AQUARES partners without WRS reported on the policy framework most relevant to water reuse. Slovenia did not report any data, since it does not have a WRS implemented. Germany reported data on two national water reuse projects.

In **Malta**, the monitoring procedures defined within the minimum quality requirements for water reuse are considered to be effective. The procedures include the identification of critical control points from where water samples are collected twice weekly and checked for water quality parameters defined within the JRC document. The parameters include





microbiological and chemical ones and the results are reported to the public health authorities on a quarterly basis. Additionally, there are yearly tests for the parameters defined in the Drinking Water Directive. Malta is amongst the only partner countries that has online real-time monitoring installed (see figure 4). The monitoring procedure is characterised as having if only minor problems during implementation. But in general, its implementation was smooth and may have exceeded the expectations.

4.5 Guidelines on effective monitoring

Cooperation between relevant actors

An effective monitoring standard will require an overarching cooperation between relevant stakeholders such as public authorities, end users, and water providers. These stakeholders should be included in the monitoring process at least to the level of providing opinions and information on the practice. The EU regulation does not specify on the monitoring implementation responsibilities, however, clear responsibilities should be defined by each member state. Amongst the AQUARES partner countries, monitoring was often conducted by the water provider itself or by public authorities. Member states may be able to use existing water related monitoring infrastructure (e. g. laboratories, sampling) for future water reuse projects in case that they have no WRS implemented yet. The new EU regulation allows for enough flexibility to accommodate national preferences and needs. Cooperation between the water reuse actors is advisable to maximise any potential additional benefits from reuse projects. For instance, Germany reported a decrease in application of artificial fertilisers by the farmers that use reclaimed water with known nutrient content for agricultural irrigation.

· Conformity with the new EU regulation

All AQUARES countries with a WRS have monitoring practices that are based on an established approach or a best practice. These countries also reported only minor or no problems with the implementation of the monitoring standards, and that monitoring exceeded their expectation. There are numerous approaches that can be used as a basis for monitoring, however the EU Regulation No. 2020/741 on minimum requirements for water reuse is based on the JRC guidelines, which in turn is based on the WHO guideline. Monitoring water reuse standards of the EU is based on the common risk management approach consisting of eight steps, and essential monitoring elements. AQUARES countries without WRS have a majority of the monitoring elements already implemented in respect of other water policy issues. Therefore, there exists a good foundation to achieve conformity





with the new EU regulation. Those partners that already employ WRS based on other established approaches may have to adapt their current practice; however, adaptations may only be minor in those cases where risk management is already practised, since the EU regulation is based on established practices and the conformity amongst the presented practices is high.

· Inclusion of established monitoring elements

Water reuse monitoring standards should contain certain elements such as the definition of water quality parameters (biological, health, physical), monitoring (operational, verification, validation), and CCPs. All of the presented best practices on water reuse monitoring contain relevant monitoring elements including microbial and viral parameters, and requirements on monitoring frequency and techniques.

Since not all AQUARES partners reported the inclusion of all relevant elements in their countries monitoring practise, there should be enough flexibility in the standard to allow for national or even regional differences. For example it may not be economically or technically feasible for all treatment facility operators to install online monitoring. However, key aspects such as frequency of monitoring and minimum monitoring parameters should be equal for all regions within a country, and for all member stated within the EU to increase homogeneity amongst EU members.

An increased homogeneity is the foundation of trust in water reuse practices, which in turn might help to overcome some of the barriers associated with the implementation of water reuse practices. Monitoring might also be used to overcome psychological barriers in water reuse, because monitoring safeguards the quality of treated effluent. By communicating the monitoring results regularly and transparent to the public, monitoring can help to foster and maintain trust in water reuse applications.

Efficient data reporting tools

All AQUARES partners with WRS in their countries in place reported the implementation of ICT tools. ICTs allow for greater data transferability, transparency, and administration efficiency and should be used for data collection and reporting. Further, online monitoring might generate additional benefits such as enhanced problem screening, quicker response to hazards and the potential to make use of big data analysis.

With increased digitalization arises the opportunity to manage water networks more systematically by installing for instance intelligent sensors, automatic pumps, and smart





meters. Especially the application of smart meters might help to increase water resource efficiency by minimising water losses in the water transportation network.

A potential problem associated with increased digitalisation is the risk of IT security, for instance through cyber-attacks. To improve the security of water reuse practices, water reuse monitoring standards should consider cyber security aspects.

Supporting elements

Key factors to successful and reliable monitoring are supporting elements of WRS such as qualified personnel and laboratory equipment. Personnel should be qualified and up to date in terms of sampling methods and best practices to safeguard the quality of monitoring. Laboratory equipment should at least be adequate to analyse the usual water quality parameters such as BOD₅, micro-organisms and pathogens, but better advanced to cover also additional parameters such as emergent pollutants.

One of the problems encountered during this project was the lack of information and data, especially with regards to those supporting elements of (water reuse) monitoring. Also, the lack of qualified personnel was named as one of the problems in ensuring effective monitoring amongst AQUARES partners. Further, the data on the quality and quantity of resources in water treatment services was reported as often too little and outdated. One aspect of a smooth implementation of water reuse practices will be sufficient information on the current infrastructure in terms of quantity (How much water can be reused?), quality of infrastructure (What kind of treatment is in place? What needs to be invested/improved?) and of supporting elements (more staff needed; What kind of equipment is there for monitoring?). Member states should invest in gathering sufficient data on the state of the art of their urban wastewater infrastructure, and also invest in new/updated infrastructure where necessary, i. e. increase connectivity to WWTPs, install tertiary treatment, personal training and laboratory equipment.

Flexibility

Monitoring water reuse standards should contain enough flexibility to allow for the consideration of local conditions, advances in technology and/or emergence of new pollutants, and enough flexibility in terms of monitoring frequency. Minimum requirements should be defined to ensure health/environment protection.

Cost efficiency

One of the aspects that was not considered in the data collection tool was the aspect of costefficiency. In Cyprus, the lower price of reclaimed water compared to "normal" water was





used as an economic incentive to reuse water. Other countries may prefer to subsidize prices of reused water or infrastructure needed to install water reuse projects. Cost efficiency in monitoring may be related to select suitable monitoring frequencies, parameters and facilities to meet health targets but also economic aspects in order to minimise costs of reused water.

5 Conclusion

In water reuse key aspects are to safeguard the quality of water and to ensure that there are adequate mechanisms for minimizing health and environmental risks. This is the task of water reuse legislation, guidelines or standards that defining adequate monitoring rules.

The AQUARES survey results revealed a divergence amongst EU member states in terms of regulations on water reuse but also in terms of existing wastewater treatment infrastructure. Implementing water reuse monitoring may not only be problematic due to a lack of time to implement the new regulations, but also because of the different levels of wastewater treatment in terms of level of treatment (primary, secondary, tertiary), the connection rate of people to the sewer system, the level of willingness to invest in new infrastructure, and the pricing of reused water compared to freshwater.

EU member states with existing monitoring schemes as part of their water safety planning can use some of the already existing monitoring infrastructure for water reuse monitoring. However, there are some key differences between monitoring for water safety planning and water reuse, namely that water reuse monitoring has multiple objectives, more stakeholders, and addresses risks to multiple exposure groups. Further, water reuse monitoring should operate in a less rigid regulatory environment allowing to tailor to local conditions, while at the same time ensuring minimum quality standards across the EU. For instance, water reuse monitoring must follow the complete sanitation chain, and consider multiple exposure groups (e.g. farm workers, WWTP operators, end users).

Based on the AQUARES results, Malta's approach was identified as the best practice. Since this approach is based on the JRC guideline, which in turn is based on WHO guidelines both approaches can be identified as effective. The Regulation No. 2020/741 of the European Parliament and the Council of 25 May 2020 on minimum requirements for water reuse is based on the JRC guidelines and introduces a regulatory framework in order to homogenise current water reuse practices across the EU. Effective water reuse monitoring standards should be conform to the EU regulation, be flexible, practicable and cost-efficient. An effective monitoring is essential to safeguard public and the environment. Water reuse is already implemented safely in many parts of the world including water reuse monitoring





standards to safeguard water quality and thereby minimising the risks to public and environmental health. It can be concluded that water reuse following established approaches and best practices can help to conserve existing water resources, create new economic opportunities while being conform to the circular economy objective, and deliver a water resource that is safe to use for agricultural and other purposes.





6 Literature

- Alcalde-Sanz, L. and Gawlik, B.M. (2014) Water Reuse in Europe Relevant guidelines, need for and barrier to innovation. Publications Office of the European Union, Luxembourg, Luxembourg.
- Alcalde-Sanz, L. and Gawlik, B.M. (2017) Minimum quality requirements for water reuse in agricultural irrigation and aquifer recharge Towards a water reuse regulatory instrument at EU level. Publications Office of the European Union, Luxembourg, Luxembourg.
- ASM (2019) Effective practices in monitoring, assessing and ensuring compliance with water reuse standards in Poland and selected European Union countries. Report commissioned by Marshal Office of the Lodz Voivodeship within a frame of AQUARES project. ASM- Market Research and Analysis Centre LTD, Kutno, Poland.
- Becker, D., Frey, A., Jungfer, C., Krömer, K., Kulse, P., Maaßen, S., Schramm, E., Wencki, K., Zimmermann, B. and Zimmermann, M. (2017) Marktpotenziale der Wasserwiederverwendung. Anforderungen und Kriterien in unterschiedlichen Sektoren und möglichen Zielmärkten für das MULTI-ReUse-Verfahren. Institut für sozial- ökologische Forschung (ISOE) GmbH. Frankfurt am Main. Germany.
- BIO by Deloitte (2015) Optimising water reuse in the EU Public consultation analysis report prepared for the European Commission. Publications Office of the European Union, Luxembourg.
- COM(2012) 673 A Blueprint to Safeguard Europe's Water Resources. Communication from the Commission to the European Parliament, the Council, the European Economic and Social Committee and the Committee of the Regions. European Commission, Brussels, Belgium.
- COM(2015) 614 Closing the loop An EU action plan for the Circular Economy. Communication from the Commission to the European Parliament, the Council, the European Economic and Social Committee and the Committee of the Regions. European Commission, Brussels, Belgium.
- COM(2018) 337 Proposal for a regulation of the European Parliament and of the Council on minimum requirements for water reuse. Communication from the Commission to the European Parliament, the Council, the European Economic and Social Committee and the Committee of the Regions. European Commission, Brussels, Belgium
- DIN EN ISO 19458:2006 Water quality Sampling for microbiological analysis (ISO 19458:2006). Beuth publishing, Berlin, Germany.
- Directive 91/271/EEC of the Council of 21 May 1991 concerning urban waste water treatment. Official Journal of the European Union. L 135/40, 30 May 1991.
- Directive 91/676/EEC of the European Parliament and of the Council of 12 December 1991 concerning the protection of waters against pollution caused by nitrates from agricultural sources. Official Journal of the European Union. L 375/1, 31 December 1991.
- Directive 98/83/EC of the European Parliament and of the Council of 12 December 1998 on the quality of water intended for human consumption. Official Journal of the European Union. L 330/32, 5 December 1998.
- Directive 2000/60/EC of the European Parliament and of the Council of 23 October 2000 establishing a framework for community action in the field of water policy. Official Journal of the European Union. L 327/1, 23 October 2000.





- European Commission (2017) Water reuse factsheet. Viewed 28 August 2020 https://ec.europa.eu/environment/water/pdf/water reuse factsheet en.pdf
- European Commission (2020) Water reuse. Viewed on 28 August 2020 https://ec.europa.eu/environment/water/reuse.htm
- ISO 16075 (2015) Guidelines for treated wastewater use for irrigation projects. International Organization for Standardization, Geneva, Switzerland.
- OOWV (2018) A1.4 Methodology to collect successful practices in monitoring, assessing and ensuring compliance with water reuse standards. Water Board of Oldenburg and East Frisia (OOWV), Oldenburg, Germany.
- Raso, J. (2013) Update of the final report on wastewater reuse in the European Union. Project: Service contract for the support to the follow-up of the communication on water scarcity and droughts. TYPSA Consulting Engineers and Architects, Barcelona, Spain.
- Regulation (EU) 2020/741 of the European Parliament and of the Council of 25 May 2020 on minimum requirements for water reuse. Official Journal of the European Union, L 177/32, Brussels, Belgium.
- SWD(2012) 393 The Fitness Check of EU Freshwater Policy. Commission Staff Working Document. European Commission, Brussels, Belgium.
- SWD(2019) 439 Fitness check of the Water Framework Directive and the Floods Directive. Commission Staff Working Document. European Commission, Brussels, Belgium.
- SWD(2020) 100 Circular Economy Action Plan For a cleaner and more competitive Europe. European Commission, Brussels, Belgium.
- WHO (2004) Guidelines for Drinking-water quality. World Health Organisation, Geneva, Switzerland.
- WHO (2006) Guidelines for the safe use of wastewater, excreta and greywater. World Health Organisation, Geneva, Switzerland.
- WHO (2016) Sanitation Safety Planning. Manual for safe use and disposal of wastewater, greywater and excreta. World Health Organisation, Geneva, Switzerland.





7 Annex

Index

Annex 1: Evaluation criteria of the data collection tool

Annex 2: Data collection tools of AQUARES Partners





Annex 1: Evaluation criteria of the data collection tool

Criteria	Relevant question	Points awarded				
Section A: Monitoring framework	C					
Integration with other water reuse regulations	A9b	For option a): 10 For option b) and c): 5				
Stakeholder's involvement in the	A9c	N*1 (e.g. if three boxes checked, 3*1=3)				
development of the standard	A9d	N*2 (e.g. if option 4, then 4*2=8)				
Inclusion of a risk management approach	A11	For option a): 10 For option b): 0				
Inclusion of essential elements of a water reuse monitoring framework	A12	For each option: 10 For each extra option: 5				
Inclusion & effectiveness of	A13a	For each option: 5				
provision on permits, compliance checks, and non-compliance procedures	A13c	For each option: N*1				
Section B: Quality and elements	of monitoring	l				
Follows established approach/uses best practices	B2	For option a): 2 For all other options: 5				
Includes essential elements of water reuse monitoring	В3	For all options apart b): 10 For option b): 5				
Data transparency & administrative efficiency	B4	For option a) and b): 5 For each extra option: 2				
		Unsurmountable problems were encountered during the implementation of the monitoring practice. The monitoring practice was not implemented fully due to these problems.	1			
		The monitoring practice had major problems that hindered its implementation, but in the end they did not hinder its full implementation	2			
Effectiveness of implementation	B5	The monitoring practice occasionally encountered significant problems, which were treated in time and did not pose a problem for its implementation.	3	*5 (e.g. 3*5=15)		
		The monitoring practice faced minor difficulties and had an overall smooth implementation.	4			
		The implementation of the monitoring practice had no problems or difficulties whatsoever, outperforming implementation expectations.				
Section C: Supporting elements						
Skilled personnel	C1	N*2 (e.g. if option 3, then 3*2=6)				
			-			





Annex 2: Data collection tools of AQUARES Partners

		MA	LTA				
A.	General information						
1)	Partner	Ene	rgy & Water Agency				
2)	Country	Malt	a				
·			Yes				
3)	Does your country implement water reuse standards?	×	*If your country does not implement water reuse standards, please use the policy framework most relevant to water reuse to fill-in the rest of the form (e.g. risk management framework for wastewater treatment).				
4)	Name of the standard (or most relevant framework)	Minimum quality requirements for water reuse in agricultural irrigation and aquifer recharge (Alcalde Sanz, L.; Gawlik, B.M, 2017)					
5)	Developed by	Join	t Research Centre				
6)	Implementing authority / (-ies)	Food Age	d Safety Commission (Public Health Regulatory ncy)				
7)	Geographical coverage	×	National				
7)	Geographical coverage		Regional				
		⊠	Agricultural				
			Industrial				
8)	Purpose/use of the standard		Urban				
			Recreational				
		☒	Other (please specify): Aquifer recharge				
	a) Please briefly describe the main aspects of the standard.	stan The	guidance document which proposed water quality dards for ensuring the safe use of reclaimed water. document forms the basis of the proposed EU ulation on Water Reuse				
			Standalone				
	b) Is it standalone or part of a wider policy framework for water reuse?	⊠	Part of a wider policy framework (please specify which): 2nd RBMP				
9)			Other (please specify):				
		⊠	Public authorities				
		⊠	Water supplier company / organisation				
	c) What types of stakeholders are	⊠	Operator/owner of the reuse plant and system				
	involved in providing feedback and implementing the standard?	⊠	End-users (e.g. farmers)				
		⊠	Public health organisations				
			Consumer representatives				





			NGO	s (e.g. environmental)			
			Local	communities / citizen initiatives			
			Other	(please specify):			
			1	The standard is implemented without any stakeholder involvement.			
	d) How intensely are stakeholders involved in the implementation of the standard?		2	Stakeholders are informed about the implementation process of the standard, without providing their opinion.			
			3	Stakeholders are consulted in the process of implementing the standard, providing opinions and information.			
			4	Stakeholders are involved in the implementation of the standard, providing (further to option 3) resources and data.			
			5	Stakeholders collaborate with public authorities in the implementation of the standard, having (further to option 4) increased managerial responsibilities and co-shaping the policy direction of the standard.			
10)	Please provide data on the number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by those facilities.	local which dening prodest	Three treatment facilities use these standers which are located in the North and South of Malta and one o which is in Gozo. All of the facilities use secondary and denitrification level of treatment. In total they have a production capacity of around 75,000 m³/day. The end users are all farmers and are distributed as follows:				
			Gozo 122Malta North 353Malta South 16				
	Is the water reuse standard embedded in or accompanied by a	×	Yes				
11)	risk management framework?		No				
		×		ation of a (risk) management team			
		×		ription of the water reuse system			
		⊠		esses to identify hazards and hazardous s, and risk assessment			
		×	Deter risks	mination of preventive measures to limit			
	Which of the following elements	⊠	Opera	ational procedures for monitoring			
12)	comprise the water reuse standard?	⊠		cation procedures of the water quality and eceiving environment			
		☒		ation of processes and procedures			
		×		edures to manage incidents and gencies			
			Other	r(s) (please describe):			
			_				
46	a) Does the water reuse standard			sions for granting permits to treatment plants			
13)	define:		•	s for managing non-compliance			
			ıkequ	lations defining compliance checks			





		pro	cedures
	1	"Wa ope	ater Services Corporation" applies for the erational authorisation which is issued by the od Safety Commission"
b) If existing, please briefly describe the steps followed for 1) granting permits, 2) coping with noncompliance issues, and 3) compliance checks.	2	the med fran Cor	nonitoring framework has been established by Corporation — internal compliance chanism. The results of this monitoring nework is reported to the Food Safety mmission, as part of the requirements of the horisation issued by the same Commission.
	3	the reco	tey monitoring parameters (those included in JRC document), have exceeded the commended limit, operations are immediately brimed and actions are taken accordingly bending on the type and frequency of eedance. These corrective actions such as shing of distribution or disinfected the ervoirs. From commissioning stage the hlighted guidelines have never been exceeded.
	1) G	rantir	ng permits to treatment plants
		1	Not effective: There are a lot of delays and bureaucratic drawbacks for granting permits.
		2	Moderately effective: There are some delays and bureaucratic drawbacks, sometimes hindering the process of granting permits, but it is overall operational.
	×	3	Very effective: The process of granting permits does not have any delays or administrative setbacks.
	2) M	anag	jing non-compliance issues
c) How effective do you consider the processes of:		1	Not effective: Most non-compliance issues are not treated in time and are not resolved.
•		2	Moderately effective: Around half of the non- compliance issues are treated in time and resolved.
	×	3	Very effective: Most non-compliance issues are treated in time and resolved.
	3) C	ompl	iance checks procedures
		1	Not effective: Compliance checks rely solely on on-spot checks.
		2	Moderately effective: Compliance checks use both on-spot checks and monitoring checks defined in EU regulations (Directives 91/271/EEC and 2000/60/EC)





		⊠	3	spot checks, monitor regulations (Directi 2000/60/EC), and in	nclude additional physio- rs (e.g. micro-pollutants,		
В.	Monitoring water reuse						
	Are monitoring procedures defined	×	Yes	;			
1)	Are monitoring procedures defined within the water reuse standard?			(please describe the y are defined):	frame	ework under which	
			No				
	Do the monitoring procedures follow /	×	Wo	rld Health Organisation	n app	roach (WHO)	
2)	are based on an established approach?	×	ISC	16075:2016			
	approach?			er (please describe be 16075: 2015	elow):		
		×		ntification of critical conitoring points)	ontro	points (or similar	
			Def	Definition of water quality parameters & indicators		Health	
		⊠				Biological	
					×	Physical	
			Definition of critical limits for parameters & indicators				
3)	Does the monitoring procedures include one of the following (select all	⊠	On-line real-time monitoring				
0)	that apply):	×	Mai	nual monitoring			
				er type(s) of moni cify):	toring	method (please	
			Pro	cedures for initiating c	orrect	ive actions	
			Ver	ification monitoring			
			Vali	dation monitoring			
			Auc	lits on the overall mon	itoring	procedures	
			Rel rep	ease the data to the orts	pub	lic / regular public	
4)	In documenting monitoring data, do you (select all that apply):	×	Use	e ICT methods to docu	ment	data	
			Oth	er(s) (please describe	belov	v):	
5)	Please provide information regarding the implementation of the monitoring procedures. Does the implementation	the	WS	ter (reclaimed water) C laboratory to ens	ure t	hat recommended	





	<u> </u>							
	run into any kind of problems?	alon	that the quality of reclaimed water is not deterioratin along the distribution network. Twice weekly sample are collected from sampling points as listed below: Gozo New Water Polishing- Plant Outlet an					
	(For example, is there a frequent need to take corrective actions?)		ozo N ervoir	New Water	Polishing-	· Plant C	outlet and	
					r Polishing- Plant Outlet and rds the end of the network			
		• So	uth Ne	w Water Po	lishing- Plan	t Outlet		
		Micr	obiolog		ed include and results terly basis.			
		plan	Once yearly all water produced form plants is tested for the all the parameted drinking water directive.					
6)	With 1 being not effective at all and 5 being absolutely effective, how good (overall) do you assess (according to		1	2	3	4	5	
6)	your own judgement) the quality of monitoring?	I				\boxtimes		
C.	Elements supporting monitoring	ng						
			1	Not adequately qualified: The pedoes not include specialised of engineers or technicians.				
1)	How would you assess the quality of the personnel that implements the monitoring?		2	Qualified: The personnel incl specialised chemists, engineers technicians.			includes neers or	
	, 3	⊠	3	Qualified and up-to-date: The person includes specialised chemists, engined technicians, who undergo additional training regularly.				
			1		equipment: nisms, patho	Can ogens.	measure	
2)	How would you assess the lab equipment used for monitoring?		2		equipmer nisms, path s (e.g. BOD	ogens, wa	measure ter quality	
	2) equipment used for monitoring?		3	parameters (e.g. BOD5, TSS). Advanced: Can measure microorganisr pathogens, water quality parameters (eBOD5, TSS), and additional paramet such as micro-pollutants, trace residu heavy metals, and/or other physio-chemi parameters.				





SPAIN - Murcia Region

Α.	General information				
Α.					
1)	Partner	GDV	V		
2)	Country* *where [country], hereafter [region] for MURCIA-GDW	SPAIN – MURCIA REGION			
3)	Does your country implement water reuse standards?	×	Yes		
- /	reuse standards:		No		
4)	Name of the standard (or most relevant framework)	Stan a) Irr b) Di Stan a) Irr fields b) St c) Fii d) In Agric Stan appli rege hum Stan cons does rege cons indus b) Irr prod c) Ac Stan that with b) Ir gree rege c) Iri silag Indus Stan exce b) Oi c) Pr indus Stan	in Use: dard 1.1: RESIDENTIAL igation of private gardens. ischarge of sanitary devices. dard 1.2: SERVICES igation of urban green areas (parks, sports, s and the like). ireet wash. re systems. dustrial car wash. cultural Use: dard 2.12: a) Irrigation of crops with water ication system that allows direct contact of the nerated water with the edible parts for fresh an food. dard 2.2: a) Irrigation of products for human numption with a water application system that is not prevent the direct contact of the nerated water with the edible parts, but the numption is not fresh but with a subsequent strial treatment. rigation of pastures for consumption of animals ucing milk or meat. quaculture. dard 2.3 a) Localized irrigation of woody crops prevents the contact of the regenerated water the fruits consumed in human food. rigation of ornamental flower crops, nurseries, nhouses without direct contact of the nerated water with the productions. rigation of non-food industrial crops, nurseries, e forages, cereals and seeds oilseeds. strial Purpose: dard 3.11 a) Process and cleaning waters ept in the food industry. ther industrial uses. rocess and cleaning waters for use in the food stry dard 3.2 a) Cooling towers and evaporative lensers		





		Recreational Use: Standard 4.1 a) Irrigation of golf courses. Standard 4.2 a) Ponds, bodies of water and ornamental circulating flows, in which public acces to water is impeded. Environmental Uses: Standard 5.1 a) Recharge of aquifers by percolation located across the land. Standard 5.2 a) Recharge of aquifers by direct injection. Standard 5.3 a) Irrigation of forests, green areas and other areas not accessible to the public. b) Forestry. Standard 5.4 a) Other environmental uses (maintenance of wetlands, minimum flows and the like).				
5)	Developed by		ISTRY OF THE PRESIDENCY: Royal Decree 0/2007 (RDR)			
6)	Implementing authority / (-ies)		r Segura Basin Authority			
7\	Geographical coverage		National			
7)	a sag. apriliadi aararaga	×	Regional			
	Purpose/use of the standard	×	Agricultural (almost 100 %)			
			Industrial			
8)			Urban			
			Recreational			
			Other (please specify):			
	a) Please briefly describe the main aspects of the standard.	minir will r most	se standards are considered mandatory mum due. The River Segura Basin Authorities equire quality conditions that are adapted to the t similar use of those quality standards ementioned. Standalone			
9)	b) Is it standalone or part of a wider policy framework for water reuse?	X	Part of a wider policy framework (please specify which): Law 11/2005, of June 22, which modifies Law 10/2001, of July 5, of the National Hydrological Plan, contains a modification of the consolidated text of the Water Law, approved by the Royal Legislative Decree 1/2001, of July 20, in which a new wording of article 109.1 has been given "the Government will establish the basic conditions for the water reuse, specifying the quality required of purified water according to the intended uses."			
	c) What types of stakeholders are	×	Public authorities			
	<u> </u>					





	involved in providing feedback and	×	Wate	r supplier company / organisation
	implementing the standard?	×	Oper	ator/owner of the reuse plant and system
		×	End-	users (e.g. farmers)
		×	Publi	c health organisations
		×	umer representatives	
			NGO	s (e.g. environmental)
		×	Local	communities / citizen initiatives
			Othe	r (please specify):
			1	The standard is implemented without any stakeholder involvement.
			2	Stakeholders are informed about the implementation process of the standard, without providing their opinion.
	d) How intensely are stakeholders		3	Stakeholders are consulted in the process of implementing the standard, providing opinions and information.
	involved in the implementation of the standard?		4	Stakeholders are involved in the implementation of the standard, providing (further to option 3) resources and data.
			5	Stakeholders collaborate with public authorities in the implementation of the standard, having (further to option 4) increased managerial responsibilities and co-shaping the policy direction of the standard.
10)	Please provide data on the number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by those facilities.	gene and disin	erated 33 fection	0 hm ³ /year, 96 % of the wastewater in Murcia, 65 % with tertiary treatment % with secondary treatment plus , in 93 WWTPs. p://www.esamur.com/reutilizacion
	Is the water reuse standard embedded in	×	Yes	
11)	or accompanied by a risk management framework?		No	
				ation of a (risk) management team
		⊠		ription of the water reuse system
	Which of the following elements comprise	×	Proce	esses to identify hazards and hazardous is, and risk assessment
12)	the water reuse standard?	⊠	Deter risks	mination of preventive measures to limit
		×	Oper	ational procedures for monitoring
		×	Verifi	cation procedures of the water quality





			and	the receiving environment			
		×	Vali	dation of processes and procedures			
				cedures to manage incidents and ergencies			
			Oth	er(s) (please describe):			
		⊠	Pro plar	visions for granting permits to treatment nts			
	a) Does the water reuse standard define:		Steps for managing non-compliance				
		×	_	gulations defining compliance checks cedures			
	b) If existing, please briefly describe the steps followed for 1) granting permits, 2) coping with non-compliance issues, and 3) compliance checks.	1	bas the fron is n Aut dist app	e permits are granted on a public tender is when volume is over 100.000 m3/yr. If volume is lower or the application comes in the holder of the dumping permit, tender of necessary. Permits are issued by Water horities, of which there is one per water rict according to WFD. All permit dications must include a Water reuse ect.			
		2	In case non-compliance is detected, reuse is discontinued until the cause is determined and the problem sorted out. In the meantime, water is dumped and extraordinary charges and/or fines for non-compliance may apply for the WWTP operator				
13)		3	Compliance checks are carried out by the holder of the dumping permit, at the outlet; by the water authority, also at the outlet; and by the end user, at their own intake.				
		Granting permits to treatment plants					
			1	Not effective: There are a lot of delays and bureaucratic drawbacks for granting permits.			
			2	Moderately effective: There are some delays and bureaucratic drawbacks, sometimes hindering the process of granting permits, but it is overall operational.			
	c) How effective do you consider the processes of:	×	3	Very effective: The process of granting permits does not have any delays or administrative setbacks.			
		2) M	anag	ing non-compliance issues			
			1	Not effective: Most non-compliance issues are not treated in time and are not resolved.			
			2	Moderately effective: Around half of the non-compliance issues are treated in			





				time and resolved.				
		×	3	Very effective: Mos issues are treated in ti				
		3) Compliance checks procedures						
			1	Not effective: Compositely on on-spot check		e checks rely		
			2	Moderately effective: use both on-spot che checks defined in (Directives 91/271/EE	cks a	and monitoring J regulations		
		⊠	3	defined in EU regu	nonito ulatior 2000/ ph ro-po	oring checks ns (Directives 60/EC), and nysio-chemical		
В.	Monitoring water reuse							
	Are monitoring procedures defined within	×	Yes	;				
1)	the water reuse standard?			(please describe the ch they are defined):	ne the framework under ed):			
			No					
			World Health Organisation approach (WHO)					
	Do the monitoring procedures follow / are		ISO 16075:2016					
2)	based on an established approach?		Other (please describe below):					
		⊠	Other (please describe below): USEPA Guidelines for Water Reuse, 2004, although the Spanish regulation is more thorough and strict.					
				ntification of critical ilar monitoring points)	contr	ol points (or		
					×	Health		
		×		inition of water quality ameters & indicators	×	Biological		
					×	Physical		
3)	Does the monitoring procedures include one of the following (select all that apply):	×		inition of critical limits cators	for	parameters &		
			On-line real-time monitoring					
		×	Mar	nual monitoring				
				er type(s) of monitoring cify):	ng m	ethod (please		
			Pro	cedures for initiating co	rrectiv	ve actions		





		X	Verifi	cation mo	nitoring				
		×	Valid	ation mon	itoring				
			Audit	s on the c	verall mon	itoring proc	edures		
			Release the data to the public / regular public reports						
4)	In documenting monitoring data, do you (select all that apply):	×	Use I	CT metho	ods to docu	ment data			
			Othe	r(s) (pleas	e describe	below):			
5)	Please provide information regarding the implementation of the monitoring procedures. Does the implementation run into any kind of problems? (For example, is there a frequent need to	plant, the w Possible pr derive from		monitoring process involves the treatment t, the water authority, and the final users. sible problems during the implementation may be from inadequate facilities to achieve the lity requirements.					
	take corrective actions?)								
6)	With 1 being not effective at all and 5 being absolutely effective, how good (overall) do you assess (according to	1		2	3	4	5		
٥,	your own judgement) the quality of monitoring?]				×		
C.	Elements supporting monitoring								
			1	does no	quately qua t include s rs or techni	pecialised	personnel chemists,		
1)	How would you assess the quality of the personnel that implements the monitoring?		2	does no	ot include some or technical security of the s	pecialised cians.	personnel chemists, includes neers or		
1)	personnel that implements the			does no enginee Qualified specialis technicia Qualified includes enginee	t include s rs or techni d: The sed chem ans. d and up-to	pecialised cians. personnel ists, engined cians. -date: The calised icians, who	includes neers or personnel chemists,		
1)	personnel that implements the		2	does no enginee Qualified specialis technicis Qualified includes enginee addition	t include s rs or techni d: The sed chem ans. d and up-to speci rs or techni	pecialised cians. personnel ists, engined alised icians, who egularly.	includes neers or personnel chemists,		
1)	personnel that implements the		2	does no enginee Qualified specialis technicia Qualified includes enginee addition Basic microorg	it include s rs or techni d: The sed chem ans. d and up-to speci rs or techn al training r equipment	pecialised cians. personnel ists, engined date: The lalised icians, who egularly. It: Can athogens. ent: Can pathogens	includes neers or personnel chemists, o undergo measure measure measure		





		Spain			
A.	General information				
1)	Partner	Euro-Mediterranean Water Institute Foundation			
2)	Country	SPAIN			
٥)	Does your country implement water	¥ Yes			
3)	reuse standards?	□ No			
4)	Name of the standard (or most relevant framework)	Urban Use: Standard 1.1: RESIDENTIAL a) Irrigation of private gardens. b) Discharge of sanitary devices. Standards 1.2: SERVICES a) Irrigation of urban green areas (parks, sports, fiel and the like). b) Street wash. c) Fire systems. d) Industrial car wash. Agricultural Use: Standard 2.12 a) Irrigation of crops with water application system tha allows direct contact of the regenerated water with the edible parts for fresh human food. Standard 2.2 a) Irrigation of products for human consumption with a water application system that does not prevent the direct contact of the regenerated water with the edible parts, but the consumption is not fresh but with a subsequent industrial treatment. b) Irrigation of pastures for consumption of animals producing milk or meat. c) Aquaculture. Standard 2.3 a) Localized irrigation of woody crops that prevents the contact of the regenerated water with the fruits consumed in human food. b) Irrigation of ornamental flower crops, nurseries, greenhouses without direct contact of the regenerated water with the productions. c) Irrigation of non-food industrial crops, nurseries, greenhouses without direct contact of the regenerated water with the productions. c) Irrigation of non-food industrial crops, nurseries, silage forages, cereals and seeds oilseeds. Industrial Purpose: Standard 3.11 a) Process and cleaning waters except in the food industry. b) Other industrial uses. c) Process and cleaning waters for use in the food industry Standard 3.2 a) Cooling towers and evaporative condensers			





		Recreational Use: Standard 4.1 a) Irrigation of golf courses. Standard 4.2 a) Ponds, bodies of water and ornamental circulating flows, in which public access to water is impeded. Environmental Uses: Standard 5.1 a) Recharge of aquifers by percolation located across the land. Standard 5.2 a) Recharge of aquifers by direct injection. Standard 5.3 a) Irrigation of forests, green areas and other areas not accessible to the public. b) Forestry. Standard 5.4 a) Other environmental uses (maintenance of wetlands, minimum flows and the like)					
	D. de H	a) Other environmental uses (maintenance of wetla minimum flows and the like). MINISTRY OF THE PRESIDENCY					
5)	Developed by	Roya	al Decree 1620/2007 (RDR)				
6)	Implementing authority / (-ies)	Spai	nish River Basin Authority				
7)	Geographical coverage		National Regional				
8)	Purpose/use of the standard		Agricultural (almost 100 %) Industrial Urban Recreational Other (please specify): Environmental Uses				
	a) Please briefly describe the main aspects of the standard.	Thes	se standards are considered mandatory minimum The River Basin Authorities will require quality ditions that are adapted to the most similar use of e quality standards aforementioned.				
			Standalone				
9)	b) Is it standalone or part of a wider policy framework for water reuse?	X	Part of a wider policy framework (please specify which): Law 11/2005, of June 22, which modifies Law 10/2001, of July 5, of the National Hydrological Plan, contains a modification of the consolidated text of the Water Law, approved by the Royal Legislative Decree 1/2001, of July 20, in which a new wording of article 109.1 has been given "the Government will establish the basic conditions for the water reuse, specifying the quality required of purified water according to the intended uses. Other (please specify):				
	c) What types of stakeholders are involved in providing feedback and	×	Public authorities				





	implementing the standard?	×	Wate	r supplier company / organisation		
		×	Opera	ator/owner of the reuse plant and system		
			End-u	users (e.g. farmers)		
		☒	Public	c health organisations		
			Cons	umer representatives		
			NGO:	s (e.g. environmental)		
			Local	communities / citizen initiatives		
			Other	(please specify):		
			1	The standard is implemented without any stakeholder involvement.		
	d) How intensely are stakeholders		2	Stakeholders are informed about the implementation process of the standard, without providing their opinion.		
			3	Stakeholders are consulted in the process of implementing the standard, providing opinions and information.		
	involved in the implementation of the standard?		4	Stakeholders are involved in the implementation of the standard, providing (further to option 3) resources and data.		
		×	5	Stakeholders collaborate with public authorities in the implementation of the standard, having (further to option 4) increased managerial responsibilities and co-shaping the policy direction of the standard.		
10)	Please provide data on the number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by those facilities.	Around 540 are implementing tertiary treatment to fur requirements for water reuse. 400 hm3 are reuse annually, amounting to 13% of treated wastewat Around 60% is used in irrigation farming, with tremaining going to golf course irrigation or municipuses (street maintenance, parks&garden irrigation Source: Spanish association for desalination & Reuse AEDyR: https://www.aedyr.com/es/blog/cifrareutilizacion-agua-espana				
11)	Is the water reuse standard embedded in or accompanied by a	×	Yes			
,	risk management framework?		No			
			-	ation of a (risk) management team		
12\	Which of the following elements		Description of the water reuse system Processes to identify hazards and hazardous			
12)	comprise the water reuse standard?	×	event	s, and risk assessment		
		⊠	risks	mination of preventive measures to limit		





		×	Ope	erational procedures for monitoring
		×	Veri	fication procedures of the water quality and receiving environment
		×		dation of processes and procedures
			Pro	cedures to manage incidents and emergencies
			Oth	er(s) (please describe):
		×	Prov	visions for granting permits to treatment plants
	a) Does the water reuse standard			os for managing non-compliance
	define:	<u> </u>	Reg	julations defining compliance checks cedures
	b) If existing, please briefly describe the steps followed for 1) granting permits, 2) coping with non-	1	when is loof the Period there	permits are granted on a public tender basis en volume is over 100.000 m3/yr. If the volume ower or the application comes from the holder ne dumping permit, tender is not necessary. In the permit are issued by Water Authorities, of which is one per water district according to WFD. Deermit applications must include a Water reuse ect.
	compliance issues, and 3) compliance checks.	2	In condiscon	ase non-compliance is detected, reuse is continued until the cause is determined and the plem sorted out. In the meantime, water is uped and extraordinary charges and/or fines non-compliance may apply for the WWTP rator
		3	of the	npliance checks are carried out by the holder ne dumping permit, at the outlet; by the water nority, also at the outlet; and by the end user, neir own intake.
13)		1) G	rantir	ng permits to treatment plants
			1	Not effective: There are a lot of delays and bureaucratic drawbacks for granting permits.
			2	Moderately effective: There are some delays and bureaucratic drawbacks, sometimes hindering the process of granting permits, but it is overall operational.
		×	3	Very effective: The process of granting permits does not have any delays or administrative setbacks.
	c) How effective do you consider the processes of:	2) N	lanag	ing non-compliance issues
	p. 55550000 Oi.		1	Not effective: Most non-compliance issues are not treated in time and are not resolved.
			2	Moderately effective: Around half of the non- compliance issues are treated in time and resolved.
		×	3	Very effective: Most non-compliance issues are treated in time and resolved.
		3) C	ompli	ance checks procedures
			1	Not effective: Compliance checks rely solely on on-spot checks.





			2	Moderately effectives both on-spot checks defined in EU regula 91/271/EEC and 200	and n tions (nonitoring checks (Directives		
		⊠	3	Very effective: Comp spot checks, monitor regulations (Directive 2000/60/EC), and ind chemical parameters trace residues from r	ring ches 91/2 clude s (e.g.	necks defined in EU 271/EEC and additional physio- micro-pollutants,		
В.	Monitoring water reuse							
	A	×	Yes	 S				
1)	Are monitoring procedures defined within the water reuse standard?			(please describe the f y are defined):	ramev	vork under which		
			No					
	Do the monitoring procedures follow /		_	rld Health Organisatio	n app	roach (WHO)		
2)	are based on an established) 16075:2016	مامیداد	LICEDA Cuidalia ao		
approach?	approach?	×	for	Other (please describe below): USEPA Guidelines for Water Reuse, 2004, although the Spanish regulation is more thorough and strict.				
			lde	ntification of critical co				
		×	Def	Definition of water		Health		
			qua	inition of water ality parameters & cators	×	Biological		
				D.C. St. J. C. St. J. P. St.		Physical		
	Does the monitoring procedures	×	Definition of critical limits for parameters & indicators					
3)	include one of the following (select all		On-line real-time monitoring					
-,	that apply):	☒		Manual monitoring				
				ner type(s) of monitoring ecify):	ig met	hod (please		
		⊠	Pro	cedures for initiating o	orrect	ive actions		
		☒	Ver	ification monitoring				
		⊠	Val	idation monitoring				
				dits on the overall mon	`			
	In documenting monitoring data, do		rep	ease the data to the p orts				
4)	you (select all that apply):	×	Use	e ICT methods to docu	ıment	data		
			Oth	er(s) (please describe	belov	v):		
5)	Please provide information regarding	The	mon	itoring process involve	s the	treatment plant,		





	the implementation of the monitoring procedures. Does the implementation run into any kind of problems? (For example, is there a frequent need to take corrective actions?)	prob inad	lems d	uring the im facilities to	d the final us plementatio achieve the	n may deri	
6)	With 1 being not effective at all and 5 being absolutely effective, how good (overall) do you assess (according to your own judgement) the quality of monitoring?		1	2	3	4 ⊠	5
C.	Elements supporting monitoring	ng					
	How would you assess the quality of the personnel that implements the monitoring?		1	Not adequately qualified: The personn does not include specialised chemis engineers or technicians.			
1)			2	Qualified: specialised technicians	d chemist	ersonnel ts, engir	includes leers or
		×	3		,		
			1		equipment: nisms, patho	Can ogens.	measure
2)	How would you assess the lab equipment used for monitoring?	×	2		equipmer nisms, path s (e.g. BOD	ogens, wa	measure ter quality
_,			3	pathogens BOD5, TS such as	Can meas, water quass), and a micro-pollutaals, and/or cs.	ality param dditional p ants, trace	eters (e.g. earameters residues,





Italy **General information** Partner FLA – Lombardy Foundation for the Environment 1) Country Italy 2) ablaYes Does your country implement 3) water reuse standards? No Ministerial Decree 185/2003 Name of the standard (or most (and Regional "PTUA - Program for Protection and Use of 4) relevant framework) Water" documents) Ministry of the Environment and for Territorial Protection Developed by 5) • ARPA – Regional Agencies for Environmental Protection Local Sanitary Agency Implementing authority / (-ies) 6) Local Water Services Authority National **√** Geographical coverage 7) **√** Regional **√** Agricultural Industrial **√** Urban Purpose/use of the standard ✓ 8) Recreational Other (please specify): M.D. 185/03 defines (Art. 3) urban, industrial and agricultural possible reuse destinations. The reuse process must guarantee environmental safety to ecosystems, soil, crops and avoid any sanitary-hygienic risk to exposed people (Art. 1). Quality objectives (Art. 4) for urban and agricultural uses include 53 physio-chemical and 2 microbiological parameters a) Please briefly describe the (Annex, Table). Industrial applications have less stringent limits main aspects of the standard. (Tab. 3 Annex 5 of Lgs. D. 152/06 - discharge in surface water bodies) unless the process has specific requirements. 9) Furthermore, the Decree identifies Regions duties: among others, they must define a list of hazardous parameters to keep monitored in discharged water and a monitoring program for the owner of water distribution network, which must report the results to Regional Authorities yearly. b) Is it standalone or part of a Standalone wider policy framework for water reuse? Part of a wider policy framework (please specify which):





		✓	Other (please specify):					
			Leç	g. Decree 152/2006 Framework for the environment				
		\	Pul	blic authorities				
			Wa	ater supplier company/organisation				
		V	Ор	perator/owner of the reuse plant and system				
	c) What types of stakeholders		End	d-users (e.g. farmers)				
	are involved in providing feedback and implementing the	V	Pul	blic health organisations				
	standard?		Co	nsumer representatives				
			NG	GOs (e.g. environmental)				
			Loc	cal communities/citizen initiatives				
		V	Oth	her (please specify):				
			Ow	Owner of the water distribution system				
			1	The standard is implemented without any stakeholder involvement.				
		\	2	Stakeholders are informed about the implementation process of the standard, without providing their opinion.				
	d) How intensely are stakeholders involved in the implementation of the		3	Stakeholders are consulted in the process of implementing the standard, providing opinions and information.				
	standard?		4	Stakeholders are involved in the implementation of the standard, providing (further to option 3) resources and data.				
			5	Stakeholders collaborate with public authorities in the implementation of the standard, having (further to option 4) increased managerial responsibilities and coshaping the policy direction of the standard.				
10)	Please provide data on the number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by those facilities.	tert of pol Mo par res	According to 2015 ISTAT's (Italian Statistics Institute) census, tally has 17,897 wastewater treatment plants. Despite ertiary/advanced treatment is conducted only in 2,309 (12.9%) of the WWTPs, those plants treat about 59.6% of civil collutants loads. Most of these plants are located in Northern Regions, in coarticular Lombardy and Veneto have 373 and 259 plants, respectively. Southern Regions show, instead, the highest ratios of					
			8% i	red treatment plants over total number of WWTPs: in Basilicata, 97.4% in Puglia, 94.3% in Sardegna.				
	Is the water reuse standard embedded in or accompanied		Ye	S				
11)		V	No					





			Operation of a (risk) management team
		V	Description of the water reuse system
			Processes to identify hazards and hazardous events, and risk assessment
			Determination of preventive measures to limit risks
	Which of the following elements comprise the water reuse	V	Operational procedures for monitoring
12)	standard?	V	Verification procedures of the water quality and the receiving environment
		V	Validation of processes and procedures
		V	Procedures to manage incidents and emergencies
		V	Other(s) (please describe):
			Monitoring parametersMaximum concentrations allowed in reclaimed water
	a) Does the water reuse standard define:	V	Provisions for granting permits to treatment plants
		V	Steps for managing non-compliance
			Regulations defining compliance checks procedures
		1	Each Region can define the approval procedures and the management modes (Art 47 of D.lgs. 152/1999).
	h) If existing please briefly		In case of non-compliance the competent Authority can, according to the severity of the violation:
12\	b) If existing, please briefly describe the steps followed for 1) granting permits, 2) coping with non-compliance issues, and 3) compliance checks.	2	 Give warning, defining a deadline for compliance Give warning and temporary suspend the authorization if public health and environment are in danger Withdraw the authorization if compliance is not achieved after warning and/or in case of repeated violations (Art 51 of D.lgs. 152/1999)
13)		3	The competent Authority must ensure a periodical, extensive, effective and impartial monitoring protocol (Art 49 of D.lgs. 152/1999).
		1) (Granting permits to treatment plants
			Not effective: There are a lot of delays and bureaucratic drawbacks for granting permits.
	c) How effective do you consider the processes of:		2 Moderately effective: There are some delays and bureaucratic drawbacks, sometimes hindering the process of granting permits, but it is overall operational.
			Wery effective: The process of granting permits does not have any delays or administrative setbacks.
		2) I	Managing non-compliance issues





			1	Not effective: Most non-compliance issues are not treated in time and are not resolved.					
			2	Moderately effective: Around half of the non-compliance issues are treated in time and resolved.					
			3	Very effective: Most non-compliance issues are treated in time and resolved.					
		3) (Con	npliance checks procedures					
			1	Not effective: Compliance checks rely solely on on-spot checks.					
			2	Moderately effective: Compliance checks use both onspot checks and monitoring checks defined in EU regulations (Directives 91/271/EEC and 2000/60/EC)					
			3	Very effective: Compliance checks use on-spot checks, monitoring checks defined in EU regulations (Directives 91/271/EEC and 2000/60/EC), and include additional physio-chemical parameters (e.g. micropollutants, trace residues from medicine).					
В	Monitoring water reuse								
			Υe	es					
		V		No (please describe the framework under which they are defined):					
1)	Are monitoring procedures defined within the water reuse standard?			Regions define monitoring procedures in "PTUA – Program for Protection and Use of Water" documents. Monitoring programs are generally jointly managed by Water Utility and Regional Environmental Agency (ARPA). The ISS (Istituto Superiore di Sanità – Italian Health Organisation) provides an "Analytical Methodologies" database for chemical and microbiological water analyses, which includes sampling and preservation methods, analytical procedures, laboratory best practices, and so on.					
			No						
				orld Health Organisation approach (WHO)					
	Do the monitoring procedures			O 16075:2016					
2)	follow / are based on an established approach?	V	IS Ul ca	ther (please describe below): S's database of suggested methodologies is based on NI CEI EN ISO/IEC 17025: 2005 but regional authorities in define updated guidelines based on more recent andards.					
3/	Does the monitoring procedures include one of the	V		entification of critical control points (or similar monitoring ints)					
3)	following (select all that apply):	V	De	Definition of water quality					





			par	ameters & indicators	V	Biological				
					V	Physical				
		V	Def	finition of critical limits	for para	ameters & indi	cators			
		V	On	-line real-time monitor	ing					
		V	Manual monitoring							
			Other type(s) of monitoring method (please specify):							
			Pro	ocedures for initiating of	correctiv	e actions				
		V		rification monitoring						
		V		idation monitoring						
		V	Audits on the overall monitoring procedures							
	In documenting monitoring		Re	lease the data to the p	oublic / r	egular public r	eports			
4)	data, do you (select all that	V	Us	e ICT methods to docu	ument d	ata				
	apply):		Oth	ner(s) (please describe below):						
5)	Please provide information regarding the implementation of the monitoring procedures. Does the implementation run into any kind of problems? (For example, is there a frequent need to take corrective actions?)									
í	With 1 being not effective at all and 5 being absolutely effective, how good (overall) do		1	2	3	4	5			
6)	you assess (according to your own judgement) the quality of monitoring?						Ø			
С	Elements supporting me	onit	tori	ng						
			1	Not adequately quali include specialised of technicians.						
1)	How would you assess the quality of the personnel that implements the monitoring?		2	Qualified: The perso chemists, engineers			sed			
		V	3	specialised chemists	Qualified and up-to-date: The personnel includes specialised chemists, engineers or technicians, who undergo additional training regularly.					
	How would you assess the lab		1	Basic equipment: Ca pathogens.	an meas	ure microorga	nisms,			
2)	equipment used for monitoring?		2	Adequate equipment pathogens, water of TSS).						





	ω	Advanced: Can measure microorganisms, pathogens, water quality parameters (e.g. BOD ₅ , TSS), and additional parameters such as micro-pollutants, trace residues, heavy metals, and/or other physio-chemical parameters.
--	---	---





Greece **General information** Ministry of Environment and Energy, General Secretariat for Partner 1) Natural Environment and Water Country Greece 2) Yes **√** Does your country implement 3) water reuse standards? No Name of the standard (or most Joint Ministerial Decree (JMD) 145116/11 4) relevant framework) Ministry of the Interior, Decentralisation and Electronic Government Ministry of Economy, Competitiveness and Shipping Developed by 5) Ministry of Environment and Energy Ministry of Health and Social Solidarity Ministry of Rural Development and Food Implementing authority / (-ies) Decentralized Directorate of Water Management **√** National Geographical coverage 7) Regional Agricultural Industrial П Urban Purpose/use of the standard П Recreational Other (please specify): This legislation describes the measures, definitions and procedures for the reuse of treated wastewater for i) agricultural use (irrigation), ii) groundwater supply, iii) urban and suburban use, iv) industrial use, and v) water bodies used a) Please briefly describe the for abstraction of drinking water (as thoroughly describes in main aspects of the standard. Article 7 of Presidential Decree 51/2007). To this end, specific characteristics of wastewater reuse are described, such as categories of reclaimed water depending on water quality, specific requirements for reclaimed water classification, as well as monitoring requirements. 9) Standalone b) Is it standalone or part of a Part of a wider policy framework (please specify which): wider policy framework for water reuse? Other (please specify): Several EU Directives compliance Public authorities c) What types of stakeholders





	are involved in providing feedback and implementing the	V	Water supplier company/organisation				
	standard?	V	Ор	erator/owner of the reuse plant and system			
		V	En	d-users (e.g. farmers)			
		V	Pu	blic health organisations			
		V	Со	nsumer representatives			
		V	NG	GOs (e.g. environmental)			
		V	Lo	cal communities/citizen initiatives			
			Otl	ner (please specify):			
			Ow	ner of the water distribution system			
			1	The standard is implemented without any stakeholder involvement.			
			2	Stakeholders are informed about the implementation process of the standard, without providing their opinion.			
	d) How intensely are stakeholders involved in the implementation of the	V	3	Stakeholders are consulted in the process of implementing the standard, providing opinions and information.			
	standard?	V	4	Stakeholders are involved in the implementation of the standard, providing (further to option 3) resources and data.			
			5	Stakeholders collaborate with public authorities in the implementation of the standard, having (further to option 4) increased managerial responsibilities and coshaping the policy direction of the standard.			
10)	Please provide data on the number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by those facilities.	the the	wastewater treatment plants that cover areas falling under e Urban Wastewater Treatment Directive (91/21/EEC) reuse e reclaimed water for irrigation. The reclaimed water used overs 2% of the wastewater quantities treated by these 25 eatment plants.				
	Is the water reuse standard embedded in or accompanied		Ye	S			
11)	by a risk management framework?	V	No				
			Ор	eration of a (risk) management team			
		V	De	scription of the water reuse system			
12)	Which of the following elements comprise the water reuse standard?			ocesses to identify hazards and hazardous events, and c assessment			
12)	Constitution in	V	De	termination of preventive measures to limit risks			
			Ор	erational procedures for monitoring			
		V	Ve	rification procedures of the water quality and the			





	1		politing environment				
		receiving environment					
		Va	lidation of processes and procedures				
		Pr	ocedures to manage incidents and emergencies				
		Ot	her(s) (please describe):				
	V	Pr	ovisions for granting permits to treatment plants				
a) Does the water reuse standard define:	V	St	eps for managing non-compliance				
	V	Re	egulations defining compliance checks procedures				
b) If existing, please briefly describe the steps followed for 1) granting permits, 2) coping with non-compliance issues, and 3) compliance checks.	1	the alcoholic colliques of the colliques	the permit for the reuse of liquid waste water is issued by the Secretary General of the Decentralized Administration, and with the recommendation of the Decentralized rectorate of Water Management and the opinion of the mpetent departments. For the permit for the reuse of uid wastewater, an application of the user of the ecovery Water Management Authority has to be sessed be relevant Department of Water of the ecentralized Administration. This application shall be companied by a study of the design and operation of the tivity, which shall comply with the environmental nditions adopted by the law. When assessing the plication, the Directorate of Waters of the Decentralized anagement evaluates the compatibility of the proposed e with the approved Program of Measures, and more ecifically the achievement of the environmental jectives. In this context, considering the each area's aracteristics, additional information may be requested as ensuring the protection of the aquatic recipient.				
	2	the	enalty is foreseen for any type of non-compliance with e water reuse legislation, as well as environmental bility.				
	3	Article 12 of the JMD 145116/11 defines that the Decentralized Directorate of Water Management along with competent authorities shall perform regular and special inspections for verifying compliance.					
	1) (Gra	nting permits to treatment plants				
		1	Not effective: There are a lot of delays and bureaucratic drawbacks for granting permits.				
c) How effective do you consider the processes of:	V	2	Moderately effective: There are some delays and bureaucratic drawbacks, sometimes hindering the process of granting permits, but it is overall operational.				
		3	Very effective: The process of granting permits does not have any delays or administrative setbacks.				
	2)	Man	aging non-compliance issues				
		1	Not effective: Most non-compliance issues are not treated in time and are not resolved.				
	b) If existing, please briefly describe the steps followed for 1) granting permits, 2) coping with non-compliance issues, and 3) compliance checks.	a) Does the water reuse standard define: Describe the steps followed for 1) granting permits, 2) coping with non-compliance issues, and 3) compliance checks. Describe the steps followed for 1 granting permits, 2 coping with non-compliance issues, and 3 compliance checks. Describe the steps followed for 1 granting permits, 2 coping with non-compliance issues, and 3 compliance checks.	□ Pri □ Ot □ Pri □ Ot □ Pri □ Ot □ Standard define: □ Re □ Standard define: □ In □ Standard define: □ Re □ Standard define: □ In □ Standard define: □ In				





			2 Moderately effective: Arc compliance issues are tre			ound half of the non- reated in time and resolved.				
		\	3	Wery effective: Most non-compliance issues are treated in time and resolved.						
		3) (Con	npliance checks procedu	res					
			1	Not effective: Complian spot checks.	ecks rely solely on on-					
			2	spot checks and monitor	oring o	ance checks use both on- checks defined in EU 1/EEC and 2000/60/EC)				
			3	Very effective: Compliance checks use on-spot checks monitoring checks defined in EU regulations (Directives 91/271/EEC and 2000/60/EC), and include additional physio-chemical parameters (e.g. micropollutants, trace residues from medicine).						
В	Monitoring water reuse									
	Are monitoring procedures	V	Υe	es						
1)	defined within the water reuse standard?			o (please describe the fra fined):	amework under which they are					
			No	No						
	Do the monitoring procedures follow / are based on an	V	W	orld Health Organisation	appro	pach (WHO)				
2)	established approach?	V	IS	O 16075:2016						
			Ot	her (please describe bel	ow):					
				entification of critical cont oints)	trol po	oints (or similar monitoring				
						Health				
		V		Definition of water quality parameters & indicators		Biological				
			·		V	Physical				
	Dana tha manitanina	V	De	efinition of critical limits for	or para	ameters & indicators				
3)	Does the monitoring procedures include one of the		Or	n-line real-time monitorin	g					
- /	following (select all that apply):	V	M	anual monitoring						
			Ot	her type(s) of monitoring	meth	od (please specify):				
			Pr	ocedures for initiating co	rrectiv	/e actions				
				erification monitoring						
				alidation monitoring						
		√	Αι	idits on the overall monit	oring	procedures				





	In documenting monitoring	V	Rel	Release the data to the public / regular public reports							
4)	data, do you (select all that	V	Use	e ICT methods to	document da	ata					
	apply):		Oth	Other(s) (please describe below):							
5)	Please provide information regarding the implementation of the monitoring procedures. Does the implementation run into any kind of problems? (For example, is there a frequent need to take corrective actions?)	The requirements foreseen within this JMD is more stringent than the rest EU water reuse standards (Directive 91/271/EEC). To this end, investments for wastewater treatment require high infrastructure costs.									
6)	With 1 being not effective at all and 5 being absolutely effective, how good (overall) do you assess (according to your		1	2	3	4	5				
	own judgement) the quality of monitoring?					Z					
С	Elements supporting m	nonitoring									
			1	Not adequately qualified: The personnel does not include specialised chemists, engineers or technicians.							
1)	How would you assess the quality of the personnel that implements the monitoring?		2	Qualified: The personnel includes specialised chemists, engineers or technicians.							
		V	3	Qualified and up-to-date: The personnel includes specialised chemists, engineers or technicians, who undergo additional training regularly.							
			1	Basic equipment: Can measure microorganisms, pathogens.							
2)	How would you assess the lab equipment used for monitoring?		2	Adequate equip pathogens, wat TSS).							
2)		V	3	Advanced: Can measure microorganisms, pathogens, water quality parameters (e.g. BOD ₅ , TSS), and additional parameters such as micro-pollutants, trace residues, heavy metals, and/or other physio-chemical parameters.							





Poland General information Lodzkie 1) Poland Country 2) Yes No* Does your country implement water *If your country does not implement water reuse 3) reuse standards? standards, please use the policy framework most relevant to water reuse to fill-in the rest of the form (e.g. risk management framework for wastewater treatment). 1. KPOŚK - National Urban Waste Water Treatment Program (2003), Name of the standard (or most 2. The Act of 20 July 2017. - Water law, 4) relevant framework) Legislative proposal - REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on minimum requirements for water reuse (2018). 1. KPOSK was approved by the Council of Ministers in 2003, its provisions are a consequence of the need to adapt Polish wastewater management to the requirements of Directive 91/271 / EEC of May 21, 1991 regarding urban wastewater treatment. 2. The Water Law Act, issuing authority: SEJM (lower house of parliament), obligated authorities: PRESIDIUM OF THE COUNCIL OF MINISTERS, minister competent for health, competent minister for fisheries, competent minister for agriculture, minister competent Developed by for justice, minister competent for planning and spatial 5) management and housing, Council of Ministers. 3. Proposal - REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on minimum requirements for water reuse (2018) - the document issued by the European Parliament was the result of organized public consultations (including via the Internet); A wide range of stakeholders took part in the consultations: representatives of private enterprises, the drinking water sector, sanitary infrastructure, the food industry and the environment from EU Member States. Polish Water - the main entity responsible for water management in Poland and its organizational units: National Water Management Authority, Implementing authority / o Regional Water Management Boards, 6) (-ies) Entities that purify and reuse water or discharge it into the environment, including sewage treatment plants or other units with closed water circulation, e.g. industrial plants. National Geographical coverage X





			Regional
		\boxtimes	Agricultural
		\boxtimes	Industrial
8)	Purpose/use of the standard		Urban
		\boxtimes	Recreational
			Other (please specify):
9)	a) Please briefly describe the main aspects of the standard. (No more than 15 lines)	The with partites of resonant those and those area of irrigar requestions. Articing appropriate the scar of irrigar requestions are appropriate to the scar of irrigar requestions. Articing appropriate the scar of irrigar requestions are appropriate to the scar of irrigar requestions. Articing appropriate the scar of irrigar requestions are appropriate to the scar of irrigar requestions. Articing appropriate the scar of irrigar requestions are appropriate to the scar of irrigar requestions. Articing appropriate the scar of irrigar requestions are also appropriate the scar of irrigar representations are also appropriate the scar of irrigar requestions. The scar of irrigar requestions are also appropriate the scar of irrigar requestions. The scar of irrigar requestions are also appropriate the scar	Act regulates water management in accordance the principle of sustainable development, in icular the shaping and protection of water burces, water use and management of water burces. The Act also describes water management e maintaining a rational and comprehensive timent of surface and groundwater resources, uding their quantity and quality. DŚK objective of the Program, by implementing the stments included in it, is to reduce discharges of fficiently treated wastewater, and thus to protect the atic environment. KPOŚK is a strategic document the estimates the needs and specifies activities for apping the agglomeration, with RLM greater than D, with sewage systems and municipal sewage timent plants. Pursuant to the Water Law Act, DŚK is periodically updated at least once every four is. The last and fourth update of the Program was roved by the Council of Ministers on April 21, 2016. posal for a Regulation of the European liament and of the Council on minimum uirements for the reuse of water: overall goal is to contribute to reducing water ricity across the EU, primarily by increasing the use reclaimed water, in particular for agricultural action. The establishment of harmonized minimum uirements (in particular key parameters of logens) regarding the quality of reclaimed water and intering, combined with harmonized risk largement tasks, will ensure a level playing field for the who have an impact. See I lays down minimum requirements for water ity and monitoring, along with the establishment of risk management tasks to ensure the safe use of field waters. Article II specifies the standards for cific applications. Article IV speaks of the minimum iriements that must be met for agricultural irrigation. See V sets out risk management procedures that all be carried out by the purification plant operator in cooperation with relevant parties. Article VI sets the procedure for the submission of applications for intis for the supply of reclaimed water (including list locuments). Article VII deals with procedures and





		of the competent authorities together with the rules to be followed in the event of non-compliance).				
	b) Is it standalone or part of a wider policy framework for water reuse?	⊠	Stand REGI PARL	dalone (regarding the Proposal for a ULATION OF THE EUROPEAN LIAMENT AND OF THE COUNCIL on num requirements for water reuse)		
				of a wider policy framework (please specify n): regarding KPOŚK and the Water Law		
		\boxtimes	Direct concern Direct Parlia established the firect of the firect parlia established established the firect parlia established	ework documents: tive 91/271 / EEC of 21 May 1991 erning urban waste-water treatment, tive 2000/60 / EC of the European ament and of the Council of 23 October 2000 dishing a framework for Community action in eld of water policy, Directive 2006/118 / EC e European Parliament and of the Council of December 2006 on the protection of indwater against pollution and the ioration of their status		
			Other	r (please specify):		
		\boxtimes	Public	bublic authorities		
		\boxtimes	Water supplier company / organisation			
		\boxtimes	Opera	ator/owner of the reuse plant and system		
	c) What types of stakeholders are	\boxtimes	End-u	users (e.g. farmers)		
	involved in providing feedback and		Public	c health organisations		
	implementing the standard?	\boxtimes	Cons	umer representatives		
		\boxtimes	NGO:	s (e.g. environmental)		
		\boxtimes	Local	communities / citizen initiatives		
			Other	r (please specify):		
			1	The standard is implemented without any stakeholder involvement.		
		×	2	Stakeholders are informed about the implementation process of the standard, without providing their opinion.		
	d) How intensely are stakeholders involved in the implementation of the		3	Stakeholders are consulted in the process of implementing the standard, providing opinions and information.		
	standard?		4	Stakeholders are involved in the implementation of the standard, providing (further to option 3) resources and data.		
			5	Stakeholders collaborate with public authorities in the implementation of the standard, having (further to option 4) increased managerial responsibilities and co-shaping the policy direction of the		





			standard.			
10)	Please provide data on the number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by those facilities. (No more than 10 lines)	According to data from the Central Statistical Office of Poland, in 2018 there were a total of 4,139 industrial and municipal sewage treatment plants. Among all sewage treatment plants in 2018, there were 853 entities where the tertiary treatment takes place. The number of people using urban and rural sewage treatment plants in 2018 was 28,410 645 in Poland. Importantly, the total number of people connected to tertiary treatment plants was 23,044,623. Water used in Poland by all sectors in 2015 (including households) was equal to 1 595.1 million m³. Households constitute the largest group among end users served by wastewater treatment plants - based on EUROSTAT data in 2015, they consumed 1,236.5 million m³ of water. The services sector came second in terms of water consumption - services consumed 160.8 million m³ in 2015. Next were: industry (31.4 million m³), production (18.7 million m³), mining and quarrying (6.4 million m³), construction (less than 1 million m³). Due to the lack of data, EUROSTAT does not present water consumption for the Agriculture, forestry and fisheries section.				
44)	Is the water reuse standard embedded in or accompanied by a	\boxtimes	Yes			
11)	risk management framework?		No			
	Which of the following elements	\boxtimes	Operation of a (risk) management team			
		\boxtimes	Description of the water reuse system			
			Processes to identify hazards and hazardous events, and risk assessment			
		×	Determination of preventive measures to limit risks			
12)		\boxtimes	Operational procedures for monitoring			
12)	comprise the water reuse standard?	×	Verification procedures of the water quality and the receiving environment			
		\boxtimes	Validation of processes and procedures			
		×	Procedures to manage incidents and emergencies			
			Other(s) (please describe):			
		\boxtimes	Provisions for granting permits to treatment plants			
	a) Does the water reuse standard		Steps for managing non-compliance			
13)	define:	 ⊠	Regulations defining compliance checks procedures			
-,	b) If existing, please briefly describe the steps followed for 1) granting permits, 2) coping with non-	1	In Poland, water law permits require, in particular, special use of water and construction of water facilities, as well as other activities that			





compliance issues,	and 3)		may affect the status of waters. A person
(No more than 15 lines)	and 3)		interested in such a permit, referred to in the Water Law as a plant, should submit an application for its granting to the competent public administration body. Water-law permits are granted by the competent authorities with respect to the place of use of the applied permit: starosts, presidents of cities with privat rights, marshals of voivodships, and from 15 November 2008 also directors of regional water management boards.
			A person applying for a water law permit should submit an application for its issuing, containing a brief description of the subject of the application (the basic document is a water law document consisting of two parts: descriptive and graphic) and outline the purpose of the intended activity in a non technical language).
		2	 Correspondence with the superior (supervisory) body so that it returns to its initial state (meeting all standards before failure). Take all necessary measures for the operation of the plant to meet all the requirements obtained in the permit. Correspondence on the line: director of the plant granted with permission - Polish Waters - Chief Inspectorate for Environmental Protection and the State Sanitary Inspection.
		3	The competent authorities check compliance of the reclaimed water with the conditions set out in the permit. The authorities competent to control water law permits are the authorities that issued them (point 12.1). Checks are carried out on the spot. Verification of compliance of the values of the analyzed water parameters (permission obtained VS. results of subsequent tests).
		1) G	ranting permits to treatment plants
			Not effective: There are a lot of delays and bureaucratic drawbacks for granting permits.
	c) How effective do you consider the processes of:		2 Moderately effective: There are some delays and bureaucratic drawbacks, sometimes hindering the process of granting permits, but it is overall operational.
processes of:		\boxtimes	Very effective: The process of granting permits does not have any delays or administrative setbacks.
		2) M	lanaging non-compliance issues
			Not effective: Most non-compliance issues are not treated in time and are not resolved.





			2	Moderately effective compliance issues resolved.		
			3	Very effective: Most are treated in time ar		
		3) C	ompl	iance checks procedu	res	
			1	Not effective: Comp on on-spot checks.	liance	checks rely solely
			2	Moderately effectives both on-spot checks defined in EU 91/271/EEC and 200	and regula	monitoring checks ations (Directives
		×	3	Very effective: Compliance checks use on- spot checks, monitoring checks defined in EU regulations (Directives 91/271/EEC and 2000/60/EC), and include additional physio- chemical parameters (e.g. micro-pollutants, trace residues from medicine).		
В.	Monitoring water reuse					
			Yes	6		
				No (please describe the framework under w they are defined):		
1)	Are monitoring procedures defined within the water reuse standard?			Monitoring procedures are indirectly defined in the following documents: Proposal for a REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on minimum requirements for the reuse of water, Act of 20 July 2017 - Water law		
1)	within the water reuse standard?		•	EUROPEAN PARLIA COUNCIL on minimu reuse of water,	MENT m req	T AND OF THE uirements for the
1)	within the water reuse standard?		• No	EUROPEAN PARLIA COUNCIL on minimu	MENT m req	T AND OF THE uirements for the
1)	within the water reuse standard? Do the monitoring procedures follow /		• No	EUROPEAN PARLIA COUNCIL on minimu reuse of water,	MENT m req Water	T AND OF THE uirements for the
2)	within the water reuse standard? Do the monitoring procedures follow / are based on an established		• No Wo	EUROPEAN PARLIA COUNCIL on minimu reuse of water, Act of 20 July 2017 -	MENT m req Water	T AND OF THE uirements for the
	within the water reuse standard? Do the monitoring procedures follow /		• No Wo	EUROPEAN PARLIA COUNCIL on minimu reuse of water, Act of 20 July 2017 -	MENT m req Water n app	T AND OF THE uirements for the r law.
	within the water reuse standard? Do the monitoring procedures follow / are based on an established		No Woo ISC Oth	EUROPEAN PARLIA COUNCIL on minimu reuse of water, Act of 20 July 2017 - rld Health Organisatio	MENT req Water n app	T AND OF THE uirements for the r law.
	within the water reuse standard? Do the monitoring procedures follow / are based on an established		No Woo ISC Oth Idea	EUROPEAN PARLIA COUNCIL on minimu reuse of water, Act of 20 July 2017 - rld Health Organisatio 0 16075:2016 her (please describe be intification of critical conitoring points)	MENT req Water n app	T AND OF THE uirements for the r law.
	Do the monitoring procedures follow / are based on an established approach? Does the monitoring procedures		No Wo ISC Oth Idea moi	EUROPEAN PARLIA COUNCIL on minimu reuse of water, Act of 20 July 2017 - rld Health Organisation 16075:2016 rer (please describe be nitification of critical conitoring points) rinition of water ality parameters &	MENT m req	T AND OF THE uirements for the r law. roach (WHO)
	within the water reuse standard? Do the monitoring procedures follow / are based on an established approach?		No Wo ISC Oth Idea moi	EUROPEAN PARLIA COUNCIL on minimu reuse of water, Act of 20 July 2017 - rld Health Organisation 16075:2016 are (please describe be intification of critical conitoring points)	MENT m req	T AND OF THE uirements for the r law. Toach (WHO) I points (or similar Health
2)	Do the monitoring procedures follow / are based on an established approach? Does the monitoring procedures include one of the following (select all		No Wo ISC Oth Ide mod	EUROPEAN PARLIA COUNCIL on minimu reuse of water, Act of 20 July 2017 - rld Health Organisation 16075:2016 rer (please describe be nitification of critical conitoring points) rinition of water ality parameters &	MENT req Water n app elow): control	T AND OF THE uirements for the r law. Toach (WHO) I points (or similar Health Biological Physical





		\boxtimes	Manu	ıal monitorin	ıg				
			Other speci		of monitori	ng metho	d (please		
		\boxtimes	Proce	ocedures for initiating corrective actions					
		\boxtimes	Verifi	cation monit	toring				
		\boxtimes	Valid	ation monito	ring				
		\boxtimes	Audit	s on the ove	erall monitori	ng procedu	ıres		
	In documenting monitoring data do	×	Relea repor		a to the pu	ıblic / regu	ular public		
4)	In documenting monitoring data, do you (select all that apply):		Use I	CT methods	to docume	nt data			
			Othe	r(s) (please	describe bel	ow):			
5)	Please provide information regarding the implementation of the monitoring procedures. Does the implementation run into any kind of problems? (For example, is there a frequent need to take corrective actions?) (No more than 20 lines)	implem unders leads to control If there origina interpre water in translation who ha		The most common problem encountered when mplementing monitoring procedures is incomplete understanding. Ambiguous understanding of issues eads to confusion on the implementation-controlling line. If there is a necessity / need to refer to documents originally prepared in a language other than Polish, interpretation problems also arise - specialists in a water industry are often not responsible for translation, the translations are made by people who have too little knowledge in this area. Another problem mentioned is the short time in which standards need to be implemented.					
6)	With 1 being not effective at all and 5 being absolutely effective, how good (overall) do you assess (according to your own judgement) the quality of monitoring?		1	2	3	4	5		
C.	Elements supporting monito	pring							
			1	does not	uately quali include s or technicia	pecialised			
1)	How would you assess the quality of the personnel that implements the monitoring?		2		Qualified: The personnel included specialised chemists, engineers technicians.		includes neers or		
	mornig.		3	Qualified and up-to-date: The person includes specialised chemists, engineers technicians, who undergo additional training regularly.		•			
	How would you assess the lab		1		equipment: nisms, patho	Can ogens.	measure		
2)	How would you assess the lab equipment used for monitoring?		2		equipmer nisms, path s (e.g. BOD	ogens, wa	measure ter quality		





		×	3	Advanced: Can measure microorganisms, pathogens, water quality parameters (e.g. BOD5, TSS), and additional parameters such as micro-pollutants, trace residues, heavy metals, and/or other physio-chemical parameters.
--	--	---	---	--





Latvia Α. **General information** Partner Association "Baltic Coasts' 1) Country Latvia 2) Yes No* Does your country implement water *If your country does not implement water reuse 3) reuse standards? standards, please use the policy framework most relevant to water reuse to fill-in the rest of the form (e.g. risk management framework for wastewater treatment). Law on Water Management (2002) sets the general Name of the standard (or most framework for integrated water management and aims 4) relevant framework) at good status of all surface waters and groundwater. Developed by 5) The competences are divided on a basis of the legal acts that determine each institution's responsibility in the public administration system. The Ministry of Environmental Protection and Regional Development and its institutions are responsible for the implementation and enforcement of the Water Framework Directive (WFD) and most of the water sector legislation, and Latvian environmental Implementing authority / (-ies) 6) enforcement and inspection authority - the State Environmental Service (SES). The Ministry of Health and its institutions hold responsibility for the State control of the quality of drinking water and bathing waters. The Ministry of Agriculture and its institutions are responsible for implementation of the Drinking Water Directive as well as the State control of water, used for food production, including bottled water. National Geographical coverage 7) Regional Agricultural Industrial \times Purpose/use of the standard Urban X 8) Recreational Other (please specify): The Law on Water Management (2000) is the main regulation in water management sustainable and rational use of water resources, prevents the a) Please briefly describe the main deterioration of water and protects ecosystem, gradually 9) aspects of the standard. reduces emission and discharge of polluting substances, as well as ensures the protection of the marine waters. Under the Law on Water Management

River Basin Management Plans (RBMPs) are





	established, which include the assessment of current water quality, evaluation of the causes of the problems, determine water quality objectives and indicate measures for improvement and protection of water status.
	Several laws and regulations of the Cabinet of Ministers are resultant from the Law of Water Management, water protection, and particularly, the wastewater treatment, is also regulated by the Law on Pollution and resultant laws and regulations and protection. The aim is to establish surface water and groundwater protection and management system that facilitates <u>Cabinet</u> Regulations No 34 "Regulations regarding <u>Discharge of Polluting Substances into Water"</u> (2002)
	Cabinet Regulations No 1082 "Procedure by Which Polluting Activities of Category A, B and C Shall Be Declared and Permits for the Performance of Category A and B Polluting Activities Shall Be Issued (2010) Cabinet Regulations No. 384 "Regulations Regarding the Management and Registration of Decentralised Sewerage Systems" (2017) Natural Resources Tax Law (2005) Cabinet Regulations No 235 "Mandatory Harmlessness and Quality Requirements for Drinking Water, and the Procedures for Monitoring and Control thereof" (2017) Cabinet Regulations No.256 "Regulations on Latvian Construction Standard LBN 221-98 « Internal water supply and sewerage of buildings" (1998) Cabinet Regulations No.214 "Regulations on Latvian Construction Standard LBN 223-99 "External sewerage networks and structures" (1999) Law on Regulators of Public Utilities
	□ Standalone
b) Is it standalone or part of a wider policy framework for water reuse?	Part of a wider policy framework (please specify which): environmental protection, resource efficiency
	☐ Other (please specify):
	□ Public authorities
c) What types of stakeholders are	
involved in providing feedback and implementing the standard?	☐ Operator/owner of the reuse plant and system
	☐ End-users (e.g. farmers)
	☑ Public health organisations





		\boxtimes	Consu	mer representatives			
		\boxtimes	(e.g. environmental)				
		\boxtimes	Local	communities / citizen initiatives			
			Other	(please specify):			
	d) How intensely are stakeholders involved in the implementation of the standard?		1	The standard is implemented without any stakeholder involvement.			
			2	Stakeholders are informed about the implementation process of the standard, without providing their opinion.			
		\boxtimes	3	Stakeholders are consulted in the process of implementing the standard, providing opinions and information.			
			4	Stakeholders are involved in the implementation of the standard, providing (further to option 3) resources and data.			
			5	Stakeholders collaborate with public authorities in the implementation of the standard, having (further to option 4) increased managerial responsibilities and co-shaping the policy direction of the standard.			
			In 2016, Latvia had 74 urban waste water agglomerations >2,000 p.e, and 95% of the load is connected to collecting systems and 5% addressed through individual (storage or septic tanks, microstations).				
10)	Please provide data on the number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by those facilities.	>2,0 <2,0 Rea	000 and 000 had al conne	14.4% of the population in agglomerations of 75% of the population in agglomerations of access to centralized wastewater network. Section rates are lower: ~84.1 % in larger and smaller agglomerations.			
			Population according to 2015 data: 1,986,096 Collected wastewater: 192 mil. m³/y,				
		According to data of 2018, the number of treatment facilities is 911: $740-$ biological, $171-$ mechanical, and 1 chemical.					
	Is the water reuse standard embedded in or accompanied by a	×	Yes				
11)	risk management framework?		No				
			Opera	tion of a (risk) management team			
				ption of the water reuse system			
12)	Which of the following elements comprise the water reuse standard?	\boxtimes	events	sses to identify hazards and hazardous , and risk assessment			
	ospriod the tracer round otalidate:	×		nination of preventive measures to limit risks			
			Opera	tional procedures for monitoring			
		\boxtimes	Verific	ation procedures of the water quality and the			





			receiving environment				
		\boxtimes	Validation of processes and procedures				
			· ·				
		\boxtimes	Procedures to manage incidents and emergencies				
			Other(s) (please describe):				
		\boxtimes	Provisions for granting permits to treatment plants				
	a) Does the water reuse standard define:	\boxtimes	Steps for managing non-compliance				
	ueille.	×	Regulations defining compliance checks procedures				
	b) If existing, please briefly describe the steps followed for 1) granting permits, 2) coping with non-compliance issues, and 3) compliance checks.	1	Category B permit for all discharges of wastewater exceeding 20 m3 daily is required, category C - for discharges from 5 to 20 m3 of wastewater per day. The environmental authorities include in the permits, inter alia, emission limits, requirements for monitoring to be performed by the wastewater discharger, including a requirement to obey the procedures and reference methods of analysis specified in the legislation.				
13)		2	If non-conformity of discharge with the permit conditions is detected, the discharger shall notify the environmental and sanitary authorities and carry out the necessary measures to ensure conformity and to prevent environmental pollution. According to the Natural Resources Tax Law (2005), this tax shall be also paid for emission of wastewater into the environment; its rate depends on the substances present in the wastewater. The tax for emitted pollution above the volume specified in the permit is calculated applying the tenfold tax rate				
		3	Latvian environmental enforcement and inspection authority – the State Environmental Service (SES) – inspects both urban wastewater treatment plants and enterprises that are holders of integrated permits. The SES has a methodology to prioritize those wastewater treatment plants that shall be visited and inspected first of all. If any noncompliance is detected, the SES starts an administrative procedure and requires action to ensure compliance; it also has a rights to impose administrative penalties. Therefore the inspection work is targeted to pay more attention to potentially problematic wastewater dischargers and there is a mechanism in place to reduce the cases of discharges of untreated wastewater.				
	c) How effective do you consider the	1) (Granting permits to treatment plants				
	processes of:		Not effective: There are a lot of delays and bureaucratic drawbacks for granting permits.				





		\boxtimes	2	Moderately effective: There are some delays and bureaucratic drawbacks, sometimes hindering the process of granting permits, but it is overall operational.		
			3	Very effective: The process of granting permits does not have any delays or administrative setbacks.		
		2) N	Manag	jing non-compliance issues		
			1	Not effective: Most non-compliance issues are not treated in time and are not resolved.		
			2	Moderately effective: Around half of the non- compliance issues are treated in time and resolved.		
		\boxtimes	3	Very effective: Most non-compliance issues are treated in time and resolved.		
		3) (Compl	iance checks procedures		
			1	Not effective: Compliance checks rely solely on on-spot checks.		
			2	Moderately effective: Compliance checks use both on-spot checks and monitoring checks defined in EU regulations (Directives 91/271/EEC and 2000/60/EC)		
			3	Very effective: Compliance checks use on- spot checks, monitoring checks defined in EU regulations (Directives 91/271/EEC and 2000/60/EC), and include additional physio- chemical parameters (e.g. micro-pollutants, trace residues from medicine).		
В.	Monitoring water reuse					
			Yes			
				(please describe the framework under which		
				are defined):		
1)	Are monitoring procedures defined within the water reuse standard?	×	Regardant Regard	Cabinet Regulations No.384 "Regulations Regarding the Management and Registration of Decentralised Sewerage Systems". It determines the responsibilities of the owners of so-called decentralized wastewater systems, municipalities and wastewater collectors. Besides, the legislation establishes a mechanism for collection and treatment of wastewater that is not collected via centralised sewers.		
			Binding regulations of municipalities determine minimum requirements for wastewater collectors; these requirements include an obligation to conclude an agreement with the wastewater treatment plant about delivery of collected wastewater. Besides, binding regulations of municipalities prohibit discharge of collected wastewater in the environment or inappropriate			





			places. The wastewater collector is also required annually submit data about the amounts of collected wastewater to the municipality. Besides, all decentralised wastewater systems shall be registered in the respective municipality and municipalities have a mandate to determine procedures for their supervision and control in thei binding regulations.						
			Information on water quality is publicly available and annual reports are prepared. There are various ways how the public can inform enforcement authorities on present or potential pollution of the environment, thereby preventing violation of legislation.						
			Inspection plan is developed by SES every year and there are clear requirements on how often the holders of permits for polluting activities shall be inspected, taking into account their potential impact. The SES has a methodology to prioritise those wastewater treatment plants that shall be visited and inspected first of all. Among the other things, performance of the treatment plant, compliance with the treatment requirements and previous problems are taken into account, when the decision of the inspection frequency is taken. The inspection work is targeted to pay more attention to potentially problematic wastewater dischargers and there is a mechanism in place to reduce the cases of discharges of untreated wastewater.						
			No						
2)	Do the monitoring procedures follow / are based on an established		World Health Organisation approach (WHO)						
	approach?		ISO 16075:2016						
			Other (please describe below):						
		\boxtimes	Identification of critical control points (or similar monitoring points)						
			Definition of water						
		\boxtimes	quality parameters & Biological indicators						
	Door the monitoring procedures		⊠ Physical						
3)	Does the monitoring procedures include one of the following (select all that apply):	\boxtimes	Definition of critical limits for parameters & indicators						
		\boxtimes	On-line real-time monitoring						
		\boxtimes	Manual monitoring						
			Other type(s) of monitoring method (please specify):						
		\boxtimes	Procedures for initiating corrective actions						





		\boxtimes	∀erification monitoring							
		\boxtimes								
		\boxtimes	Audits on the overall monitoring procedures							
		×	Releas reports		a to the pu	blic / regu	ılar public			
4)	In documenting monitoring data, do you (select all that apply):		Use IC	T methods	to documen	t data				
			Other(s) (please d	lescribe belo	w):				
5)	Please provide information regarding the implementation of the monitoring procedures. Does the implementation run into any kind of problems?									
	(For example, is there a frequent need to take corrective actions?)									
6)	With 1 being not effective at all and 5 being absolutely effective, how good (overall) do you assess (according to your own judgement) the quality of	1		2	3	4	5			
	monitoring?					×				
C.	Elements supporting monito	ring								
			1	does not	Not adequately qualified: The personn does not include specialised chemist engineers or technicians.					
1)	How would you assess the quality of the personnel that implements the monitoring?		2		Qualified: The personnel include specialised chemists, engineers technicians.					
		×	3	Qualified and up-to-date: The personne includes specialised chemists, engineers of technicians, who undergo additional training regularly.						
			1		equipment: nisms, patho	Can ogens.	measure			
	How would you assess the lab		2		equipmer nisms, path s (e.g. BOD	ogens, wa	measure ter quality			
2)	equipment used for monitoring?	×	3	pathogens BOD5, TS such as i	: Can meas s, water qua SS), and a micro-polluta als, and/or c s.	ility paramo dditional p ants, trace	eters (e.g. arameters residues,			





Czech Republic

	0_000 Nopublic								
A.	General information								
1)	Partner	RRA	A PK						
2)	Country	Parc	dubice – Czech republic						
			Yes						
			No*						
3)	Does your country implement water reuse standards?	\boxtimes	*If your country does not implement water reuse standards, please use the policy framework most relevant to water reuse to fill-in the rest of the form (e.g. risk management framework for wastewater treatment).						
4)	Name of the standard (or most relevant framework)		er law 254/2001, government regulations 401/2015 57/2016						
5)	Developed by	200	1 + novels						
6)	Implementing authority / (-ies)	Minister of Environment, OPV = ground water protection, regional offices							
	Goographical covorage	×	National						
7)	Geographical coverage		Regional						
	Purpose/use of the standard		Agricultural						
		\boxtimes	Industrial						
8)		\boxtimes	Urban						
		\boxtimes	Recreational						
			Other (please specify):						
	a) Please briefly describe the main aspects of the standard.	grou wate and adve acco purp supp	purpose of this act is to protect surface water and indwater, to set conditions for the economical use of er resources and to improve the quality of surface groundwater, to create conditions for reducing the erse effects of flood risks and water works in ordance with European Community legislation. The bose of this law is also to contribute to ensuring the only of drinking water to the population and the ection of aquatic ecosystems						
9)		\boxtimes	Standalone						
	b) Is it standalone or part of a wider policy framework for water reuse?		Part of a wider policy framework (please specify which):						
			Other (please specify):						
	c) What types of stakeholders are	×	Public authorities						
	involved in providing feedback and implementing the standard?	×	Water supplier company / organisation						
	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Operator/owner of the reuse plant and system						





			End-	users (e.g. farmers)					
			Publi	c health organisations					
			Cons	umer representatives					
		×	NGO	s (e.g. environmental)					
			Local	communities / citizen initiatives					
			Othe	(please specify):					
			1	The standard is implemented without any stakeholder involvement.					
			2	Stakeholders are informed about the implementation process of the standard, without providing their opinion.					
	d) How intensely are stakeholders	\boxtimes	3	Stakeholders are consulted in the process of implementing the standard, providing opinions and information.					
	involved in the implementation of the standard?		4	Stakeholders are involved in the implementation of the standard, providing (further to option 3) resources and data.					
			5	Stakeholders collaborate with public authorities in the implementation of the standard, having (further to option 4) increased managerial responsibilities and co-shaping the policy direction of the standard.					
10)	Please provide data on the number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by those facilities.		o not know how to explain for stewater treatment)						
	Is the water reuse standard		Yes						
11)	embedded in or accompanied by a risk management framework?	×	No (we do not have water reuse standard)						
			Oper	ation of a (risk) management team					
			Desc	ription of the water reuse system					
				esses to identify hazards and hazardous s, and risk assessment					
	Maria de la Cilia de la Companya de		Deter risks	mination of preventive measures to limit					
12)	Which of the following elements comprise the water reuse standard?	×	Oper	ational procedures for monitoring					
		×		cation procedures of the water quality and eceiving environment					
		×	Valid	ation of processes and procedures					
		×		edures to manage incidents and gencies					
			Othe	(s) (please describe):					





			Prov	visions for granting permits to treatment plants					
	a) Does the water reuse standard define:		Step	Steps for managing non-compliance					
	ueille.			ulations defining compliance checks cedures					
	b) If existing, please briefly describe the steps followed for 1) granting	1							
	permits, 2) coping with non-	2							
	compliance issues, and 3) compliance checks.	3							
		1) G	rantin	ng permits to treatment plants					
			1	Not effective: There are a lot of delays and bureaucratic drawbacks for granting permits.					
			2	Moderately effective: There are some delays and bureaucratic drawbacks, sometimes hindering the process of granting permits, but it is overall operational.					
	c) How effective do you consider the processes of:	×	3	Very effective: The process of granting permits does not have any delays or administrative setbacks.					
13)		2) M	2) Managing non-compliance issues						
,			1	Not effective: Most non-compliance issues are not treated in time and are not resolved.					
		\boxtimes	2	Moderately effective: Around half of the non-compliance issues are treated in time and resolved.					
			3	Very effective: Most non-compliance issue are treated in time and resolved.					
		3) C	3) Compliance checks procedures						
			1	Not effective: Compliance checks rely solely on on-spot checks.					
			2	Moderately effective: Compliance checks use both on-spot checks and monitoring checks defined in EU regulations (Directives 91/271/EEC and 2000/60/EC)					
			3	Very effective: Compliance checks use onspot checks, monitoring checks defined in EU regulations (Directives 91/271/EEC and 2000/60/EC), and include additional physiochemical parameters (e.g. micro-pollutants, trace residues from medicine).					
B.	Monitoring water reuse								
	Are monitoring procedures defined	×	Yes						
1)	within the water reuse standard?			(please describe the framework under which vare defined):					





		\boxtimes	No							
_,	Do the monitoring procedures follow / are based on an established approach?		World	d Health Org	anisatio	n ap	proach (W	HO)		
2)			ISO 1	6075:2016						
			Othe	(please des	scribe be	elow)):			
				ification of o		ontr	ol points	(or similar		
			Defin	ition of	water	X	Health			
		\boxtimes	_	y paramet	ters &	X	Biologic	al		
						\boxtimes	Physica			
3)		\boxtimes	Defin indica	ition of cr ators	itical lin	nits	for para	meters &		
	Does the monitoring procedures include one of the following (select all	\boxtimes	On-lii	ne real-time	monitori	ng				
	that apply):	×	Manu	al monitorin	g					
			Other speci	type(s) of	of moni	torin	g method	d (please		
		×	Proce	Procedures for initiating corrective actions						
		×	Verification monitoring							
		×	Validation monitoring							
		×	Audits on the overall monitoring procedures							
	In documenting monitoring data, do	×	Release the data to the public / regular public reports							
4)	you (select all that apply):		Use ICT methods to document data							
			Other(s) (please describe below):							
5)	Please provide information regarding the implementation of the monitoring procedures. Does the implementation run into any kind of problems? (For example, is there a frequent	treat wast who	ment, tewater can co	e are not so many problems with urban wastewater nent, but there are problems with small ewater treatment - we do not have many officials can control small wastewater treatment and not all e cleaning qualities are respected.						
	need to take corrective actions?) With 1 being not effective at all and 5			L. T						
6)	being absolutely effective, how good (overall) do you assess (according to		1	2	3		4	5		
0)	your own judgement) the quality of monitoring?			\boxtimes	×					
C.	Elements supporting monitor	ring	1							
				Not adequ						
1)	How would you assess the quality of the personnel that implements the monitoring?		1	does not engineers				chemists,		
,	monitoring?	\boxtimes	2	Qualified: specialised	The I cher		ersonnel s, engin	includes eers or		





				technicians.
			3	Qualified and up-to-date: The personnel includes specialised chemists, engineers or technicians, who undergo additional training regularly.
	How would you assess the lab equipment used for monitoring?		1	Basic equipment: Can measure microorganisms, pathogens.
2)		\boxtimes	2	Adequate equipment: Can measure microorganisms, pathogens, water quality parameters (e.g. BOD5, TSS).
2)			3	Advanced: Can measure microorganisms, pathogens, water quality parameters (e.g. BOD5, TSS), and additional parameters such as micro-pollutants, trace residues, heavy metals, and/or other physio-chemical parameters.





Germany **General information** KWB on behalf of OOWV Partner 1) Lower Saxony (Germany) Country 2) Yes No* Does your country implement *If your country does not implement water reuse 3) water reuse standards? standards, please use the policy framework most relevant to water reuse to fill-in the rest of the form (e.g. risk management framework for wastewater treatment). It is the task of the water authorities to implement the Name of the standard (or most Water Resources Act (WHG) and the Lower Saxony 4) relevant framework) Water Act (NWG) The Lower Saxony Ministry for the Environment, Energy Developed by 5) and climate protection (Oberste Wasserbehörde) Implementing authority / (-ies) Lower Water Authority (Untere Wasserbehörde) 6) National Geographical coverage 7) \times Regional Agricultural \times \boxtimes Industrial Purpose/use of the standard Urban X 8) \boxtimes Recreational Other (please specify): a) Please briefly describe the The Water Resources Act contains provisions on the main aspects of the standard. protection and use of surface waters and groundwater Standalone b) Is it standalone or part of a Part of a wider policy framework (please specify wider policy framework for water which): Federal and EU framework reuse? Other (please specify): Public authorities X 9) \boxtimes Water supplier company / organisation Operator/owner of the reuse plant and system c) What types of stakeholders are involved in providing feedback End-users (e.g. farmers) and implementing the standard? Public health organisations \times Consumer representatives NGOs (e.g. environmental)





			Local communities / citizen initiatives					
			Othe	er (please specify):				
			1	The standard is implemented without any stakeholder involvement.				
			2	Stakeholders are informed about the implementation process of the standard, without providing their opinion.				
	d) How intensely are stakeholders involved in the	×	3	Stakeholders are consulted in the process of implementing the standard, providing opinions and information.				
	implementation of the standard?	×	4	Stakeholders are involved in the implementation of the standard, providing (further to option 3) resources and data.				
			5	Stakeholders collaborate with public authorities in the implementation of the standard, having (further to option 4) increased managerial responsibilities and coshaping the policy direction of the standard.				
	Please provide data on the number of treatment facilities that	2 tre	eatme	nt plants				
10)	implement the standard, including data (if available) on the		End use: irrigation					
10)	type and number of end users served by those facilities.	Nur	Number of end-users: not reported					
44	Is the water reuse standard embedded in or accompanied by		Yes					
11)	a risk management framework?	\boxtimes	No					
			Ope	peration of a (risk) management team				
		\boxtimes		cription of the water reuse system				
				esses to identify hazards and hazardous its, and risk assessment				
			Dete	rmination of preventive measures to limit risks				
12)	Which of the following elements comprise the water reuse	\boxtimes		rational procedures for monitoring				
12)	standard?			ication procedures of the water quality and the iving environment				
			Valid	lation of processes and procedures				
			Proc	edures to manage incidents and emergencies				
			Othe	er(s) (please describe):				
			_					
	a) Does the water reuse standard define:			isions for granting permits to treatment plants				
13)	(comment: there is no water		_	s for managing non-compliance ulations defining compliance checks				
	reuse standard)			ulations defining compliance checks edures				





	b) If existing, please briefly describe the steps followed for 1)	1						
	granting permits, 2) coping with non-compliance issues, and 3)	2						
	compliance checks.	3						
		1) G	Granting permits to treatment plants					
			1	Not effective: There are a lot of delays and bureaucratic drawbacks for granting permits.				
			2	Moderately effective: There are some delays and bureaucratic drawbacks, sometimes hindering the process of granting permits, but it is overall operational.				
			3	Very effective: The process of granting permits does not have any delays or administrative setbacks.				
		2) N	/lana	ging non-compliance issues				
			1	Not effective: Most non-compliance issues are not treated in time and are not resolved.				
	c) How effective do you consider the processes of:		2	Moderately effective: Around half of the non-compliance issues are treated in time and resolved.				
			3	Very effective: Most non-compliance issues are treated in time and resolved.				
		3) C	3) Compliance checks procedures					
			1	Not effective: Compliance checks rely solely on on-spot checks.				
			2	Moderately effective: Compliance checks use both on-spot checks and monitoring checks defined in EU regulations (Directives 91/271/EEC and 2000/60/EC)				
			3	Very effective: Compliance checks use on-spot checks, monitoring checks defined in EU regulations (Directives 91/271/EEC and 2000/60/EC), and include additional physiochemical parameters (e.g. micro-pollutants, trace residues from medicine).				
В.	Monitoring water reuse							
	Are monitoring procedures		Yes	S				
1)	defined within the water reuse standard?	×		(please describe the framework under which y are defined):				
	Do the monitoring procedures		No					
2)	Do the monitoring procedures			World Health Organisation approach (WHO)				
2)	Do the monitoring procedures follow / are based on an established approach?							





		\boxtimes	Othe		desc	ribe	below)	: DIN 19650,		
			category IV ⁶ Identification of critical control points (or similar							
			lden mon	tification of itoring poin	of critica ots)	al co	ontrol po	oints (or similar		
			Defir	nition of	water		Health			
		\boxtimes		ty parame	ters &		Biologi	cal		
			iiiuic	ators		\boxtimes	Physic	al		
			_	nition of ators	critical	lim	its for	parameters &		
3)	Does the monitoring procedures include one of the following		On-li	ine real-tim	e monit	oring	9			
3)	(select all that apply):	\boxtimes	Man	ual monito	ring					
			Othe		of n	nonit	oring n	nethod (please		
			Proc	edures for	initiatin	g cor	rective a	actions		
		\boxtimes	Verif	ication mo	nitoring					
			Valid	Validation monitoring						
			☐ Audits on the overall monitoring procedures							
	In documenting monitoring data, do you (select all that apply):		Release the data to the public / regular public reports							
4)			Use ICT methods to document data							
		\boxtimes	(Exc	Other(s) (please describe below): Intern Data files (Excel)						
	Please provide information	Currently the monitoring of irrigation water within the Braunschweig water reuse scheme includes the following parameters: • Nutrients (P, Mg, Ca, Ka, Na, N, S)								
	regarding the implementation of the monitoring procedures. Does		 H 	eavy meta	ls					
5)	the implementation run into any kind of <u>problems</u> ?			hysical pro emperature		(pH,	conduct	ıvıty, O2,		
	(For example, is there a frequent need to take corrective actions?)	prov	/ided		ers for	the	eir fertil	on + amount is izer calculation		
		The sampling is automated and generates a 24h sam (once a week).								
6)	With 1 being not effective at all and 5 being absolutely effective, how good (overall) do you assess		1	2	3		4	5		
6)	(according to your own judgement) the quality of monitoring?						\boxtimes			

-

⁶ DIN-19650 (1999) Hygienisch-mikrobiologische Klassifizierung und Anwendung von Bewässerungswasser, Version 2016. Hygienic-microbiological classification and application of irrigation water, version 2016





C.	Elements supporting monitoring					
	How would you assess the quality of the personnel that implements the monitoring?		1	Not adequately qualified: The personnel does not include specialised chemists, engineers or technicians.		
1)			2	Qualified: The personnel includes specialised chemists, engineers or technicians.		
		\boxtimes	3	Qualified and up-to-date: The personnel includes specialised chemists, engineers or technicians, who undergo additional training regularly.		
2)	How would you assess the lab equipment used for monitoring?		1	Basic equipment: Can measure microorganisms, pathogens.		
		X	2	Adequate equipment: Can measure microorganisms, pathogens, water quality parameters (e.g. BOD5, TSS).		
			3	Advanced: Can measure microorganisms, pathogens, water quality parameters (e.g. BOD5, TSS), and additional parameters such as micro-pollutants, trace residues, heavy metals, and/or other physio-chemical parameters.		





Slovenia **General information** Partner Municipality of Trebnje 1) Country Slovenia 2) Yes No* Does your country implement *If your country does not implement water reuse 3) water reuse standards? standards, please use the policy framework most relevant to water reuse to fill-in the rest of the form (e.g. risk management framework for wastewater treatment). Decree on the discharge and treatment of urban Name of the standard (or most 4) relevant framework) wastewater (98/15, 76/17) Ministry of Environment and Spatial Planning Developed by 5) Implementing authority / (-ies) Municipalities 6) National Geographical coverage 7) Regional Agricultural Industrial Purpose/use of the standard Urban X 8) Recreational Other (please specify): This Decree of the Government of the Republic of Slovenia establishes details on the tasks related to services required municipal utilities concerning discharge and purification treatment of urban wastewater and rainwater. The present Regulation lays down measures for these public services: the management and content of a) Please briefly describe the the register of providers of the public services; the main aspects of the standard. management and content of the register of public sewer; obligations of municipalities and public service. In this Decree it is written that public utilities are obliged to report the amount of municipal waste water to be 9) reused, the treatment plants from which the urban waste water is being reused and the purpose of its use. П Standalone b) Is it standalone or part of a Part of a wider policy framework (please specify which): Directive 91/271/EEC concerning urban wastewider policy framework for water water treatment, Directive 2000/60/EC reuse? Other (please specify):

c) What types of stakeholders are

Public authorities





Departor/owner of the reuse plant and system End-users (e.g. farmers) Public health organisations Consumer representatives NGOs (e.g. environmental) Local communities / citizen initiatives Other (please specify): 1 The standard is implemented without an stakeholder involvement. Stakeholders are informed about the implementation of the standard? Stakeholders are consulted in the process involved in the implementation of the standard? Stakeholders are consulted in the process implementing the standard, providing opinion and information. Stakeholders are consulted in the process implementing the standard, providing opinion and information. Stakeholders are involved in the implementation of the standard, providing (further to option resources and data. Stakeholders collaborate with public authoritie in the implementation of the standard, horizing the policification of the standard. Stakeholders collaborate with public authoritie in the implementation of the standard. Stakeholders are involved in the implementation of the standard, providing (further to option resources and data. Stakeholders are involved in the implementation of the standard, providing (further to option resources and data. Stakeholders are involved in the implementation of the standard, and information. Stakeholders are involved in the implementation of the standard, providing (further to option resources and data. Stakeholders are involved in the implementation of the standard, providing (further to option 4) increased manager responsibilities and co-shaping the policification of the standard. Stakeholders are involved in the implementation of the standard, providing (further to option 4) increased manager responsibilities and co-shaping the policification of the standard. The unique the providing further to option 4 increased manager responsibilities and co-shaping the policification of the standard. The unique the providing further to option 4 increased manager responsibilities and co-shaping the p		involved in providing feedback	\boxtimes	Wate	Water supplier company / organisation					
Public health organisations Consumer representatives NGOs (e.g. environmental) Local communities / citizen initiatives Other (please specify): 1 The standard is implemented without at stakeholder involvement. 2 implementation process of the standard, without providing their opinion. 3 Stakeholders are informed about to implementation process of the standard, without providing their opinion. 3 Stakeholders are consulted in the process implementing the standard, providing opinion and information. 3 Stakeholders are involved in the implementation of the standard, providing opinion and information. 3 Stakeholders are involved in the implementation of the standard, providing opinion and information. 3 Stakeholders are involved in the implementation of the standard, including in the implementation of the standard, having the further to option 4) increased manager responsibilities and co-shaping the polic direction of the standard. Stakeholders collaborate with public authorities in the implementation of the standard, having the further to option 4) increased manager responsibilities and co-shaping the polic direction of the standard. Wore than 450 municipal public utilities are in charge for waste water treatment; a share of treated waste water standard including data (if available) on the type and number of end users served by those facilities. Wore than 450 municipal public utilities are in charge for waste water treatment; a share of treated waste water standard including data (if available) on the type and number of end users served by those facilities. Wore than 450 municipal public utilities are in charge for waste water treatment; a share of treated waste water standard including data (if available) on the type and number of end users served by those facilities. Wore than 450 municipal public utilities are in charge for waste water standard. Wore than 450 municipal public utilities are in charge for waste water standard. Wore than 450 municipal public utilit		and implementing the standard?	\boxtimes	Oper						
□ Consumer representatives □ NGOs (e.g. environmental) □ Local communities / citizen initiatives □ Other (please specify): □ 1 The standard is implemented without all stakeholder involvement. □ Stakeholders are informed about to implementation process of the standard, without providing their opinion. □ Stakeholders are consulted in the process implementing the standard, providing opinion and information. □ Stakeholders are consulted in the process implementing the standard, providing opinion and information. □ Stakeholders are involved in the implementation of the standard, providing (further to option resources and data. □ Stakeholders collaborate with public authorities in the implementation of the standard, having (further to option 4) increased manager responsibilities and co-shaping the polic direction of the standard. Please provide data on the number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by those facilities. More than 450 municipal public utilities are in charge for waste water treatment; a share of treated waste water ischarged from sewage sludge network is 72%. The UWWTD requires that "Treated waste water ischarged from sewage sludge network is 72%. The UWWTD requires that "Treated waste water ischarged from sewage sludge network is 72%. The UWWTD requires that "Treated waste water ischarged from sewage sludge network is 72%. The UWWTD requires that "Treated waste water ischarged from sewage sludge network is 72%. The provide in the implementation of the standard wenter in charge for waste water is only reused in some cases inside the installating itself. There is no national legislation devoted to the particular question, except for the requirements from the uww to provide the installating itself. There is no national legislation devoted to the particular question, except for the requirements from the uww to provide the installating itself. There is no national legislation devoted to the parti				End-users (e.g. farmers)						
NGOs (e.g. environmental) Local communities / citizen initiatives Other (please specify): 1				Publi	Public health organisations					
Dease provide data on the number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by those facilities. Dease provide data on the number of end users served by those facilities. Dease provide deaded in or accompanied by a risk management framework? Dease provide deaded in or accompanied by a risk management framework? Dease provide deaded in or accompanied by a risk management framework? Dease provide deaded in or accompanied by a risk management framework? Dease provide deaded in or accompanied by a risk management framework? Dease provide deaded in or accompanied by a risk management framework? Dease provide deaded in or accompanied by a risk management framework? Dease provide deaded in or accompanied by a risk management framework? Dease provide deaded in or accompanied by a risk management framework? Dease provide deaded in or accompanied by a risk management framework? Dease provide deaded in or accompanied by a risk management framework? Dease provide deaded in or accompanied by a risk management framework? Dease provide deaded in or accompanied by a risk management framework? Dease provide deaded in or accompanied by a risk management framework? Dease provide deaded in or accompanied by a risk management framework? Dease provide deaded in or accompanied by a risk management framework? Dease provide deaded in or accompanied by a risk management framework? Dease provide data intended in or accompanied by a risk management framework? Dease provide in the process implementation providing the standard is stakeholders are informed about timplementation providing the standard information. 1				Cons	Consumer representatives					
Other (please specify): Other (please specify):				NGC	NGOs (e.g. environmental)					
1 The standard is implemented without at stakeholder involvement.				Loca	Local communities / citizen initiatives					
d) How intensely are stakeholders involved in the implementation of the standard? d) How intensely are stakeholders involved in the implementation of the standard? 3 Stakeholders are consulted in the process implementing the standard, providing opinion and information. Stakeholders are involved in the implementation of the standard? Stakeholders are involved in the implementation of the standard, providing (further to option resources and data. Stakeholders are involved in the implementation of the standard, providing (further to option resources and data. Stakeholders are involved in the implementation of the standard, providing (further to option resources and data. Stakeholders are involved in the implementation of the standard, providing (further to option resources and data. More than 450 municipal public utilities are in charge for waste water treatment; a share of treated waste water discharged from sewage sludge network is 72%. The UWWTD requires that "Treated waste water shall treused whenever appropriate." Nevertheless, treated waste water is only reused in some cases inside the installatic stelf. There is no national legislation devoted to the particular question, except for the requirements from the uwwtrb. Is the water reuse standard embedded in or accompanied by a risk management framework? Ves					Other (please specify):					
d) How intensely are stakeholders involved in the implementation of the standard? 3				1						
d) How intensely are stakeholders involved in the implementation of the standard? Stakeholders are involved in the implementation of the standard, providing (further to option resources and data. Stakeholders collaborate with public authorities in the implementation of the standard, having (further to option 4) increased manager responsibilities and co-shaping the policification of the standard. Please provide data on the number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by those facilities. More than 450 municipal public utilities are in charge for waste water treatment; a share of treated waste water discharged from sewage sludge network is 72%. The UWWTD requires that "Treated waste water shall be reused whenever appropriate." Nevertheless, treated waste water is only reused in some cases inside the installatic itself. There is no national legislation devoted to the particular question, except for the requirements from the companied by a risk management framework? Stakeholders are involved in the implementation of the standard, providing (further to option resources and data. Stakeholders are involved in the implementation of the standard, providing of the standard, providing (further to option resources and data. Stakeholders are involved in the implementation of the standard, providing (further to option resources and data. Stakeholders are involved in the implementation of the standard, providing (further to option resources and data. Stakeholders collaborate with public authorities in the implementation of the standard. More than 450 municipal public utilities are in charge for waste water standard. The provided waste water shall the provided waste water is only reused in some cases inside the installation of the standard. The provided waste water is only reused in some cases inside the installation of the standard. The provided waste water is only reused in the provided waste water is o		involved in the implementation of	×	2	implementation process of the standard, without					
Dease provide data on the number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by those facilities. Dease provide data on the number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by those facilities. Dease provide data on the number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by those facilities. Dease provide data on the number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by those facilities. Dease provide data on the number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by those facilities. Dease provide data on the number of treatment; a share of treated waste water discharged from sewage sludge network is 72%. The UWWTD requires that "Treated waste water shall the reused whenever appropriate." Nevertheless, treated waste water is only reused in some cases inside the installation itself. There is no national legislation devoted to the particular question, except for the requirements from the provided from sewage sludge network is 72%. Dease provide data on the number of treatment; a share of treated waste water discharged from sewage sludge network is 72%. The UWWTD requires that "Treated waste water discharged from sewage sludge network is 72%. The UWWTD requires that "Treated waste water discharged from sewage sludge network is 72%. The UWWTD requires that "Treated waste water discharged from sewage sludge network is 72%. The UWWTD requires that "Treated waste water discharged from sewage sludge network is 72%. The UWWTD requires that "Treated waste water discharged from sewage sludge network is 72%. The UWWTD requires that "Treated waste water discharged from sewage sludge				4	· · · · · · · · · · · · · · · · · · ·					
Please provide data on the number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by those facilities. Waste water treatment; a share of treated waste water discharged from sewage sludge network is 72%. The UWWTD requires that "Treated waste water shall the reused waste water full waste water treatment; a share of treated waste water shall the reused waste water shall the shall the reused waste water shall the reused waste wat			in the implementation of the standard, having (further to option 4) increased managerial responsibilities and co-shaping the policy							
embedded in or accompanied by a risk management framework? No	10)	number of treatment facilities that implement the standard, including data (if available) on the type and number of end users served by	was disc The reus wat itsel part	ste water treatment; a share of treated waste water charged from sewage sludge network is 72%. E UWWTD requires that "Treated waste water shall be sed whenever appropriate." Nevertheless, treated waste er is only reused in some cases inside the installation lf. There is no national legislation devoted to this ticular question, except for the requirements from the						
a risk management framework?		embedded in or accompanied by		Yes						
	11)			No						
		Which of the following elements comprise the water reuse standard?		Oper	Operation of a (risk) management team					
□ Description of the water reuse system				Description of the water reuse system						
Which of the following elements and risk assessment				Processes to identify hazards and hazardous events, and risk assessment						
	12)			Determination of preventive measures to limit risks						
□ Operational procedures for monitoring				Operational procedures for monitoring						
□ Verification procedures of the water quality and the receiving environment				Verification procedures of the water quality and the receiving environment						





			Val	Validation of processes and procedures			
			Pro	Procedures to manage incidents and emergencies			
			Other(s) (please describe):				
	a) Does the water reuse standard define:		Pro	Provisions for granting permits to treatment plants			
	(comment: there is no water reuse standard)		Ste	Steps for managing non-compliance			
			Re	Regulations defining compliance checks procedures			
	b) If existing, please briefly describe the steps followed for 1) granting permits, 2) coping with non-compliance issues, and 3) compliance checks.	1					
		2					
		3					
			I Granting permits to treatment plants				
			1	Not effective: There are a lot of delays and bureaucratic drawbacks for granting permits.			
			2	Moderately effective: There are some delays and bureaucratic drawbacks, sometimes hindering the process of granting permits, but it is overall operational.			
			3	Very effective: The process of granting permits does not have any delays or administrative setbacks.			
13)		2) N	Managing non-compliance issues				
13)	c) How effective do you consider the processes of:		1	Not effective: Most non-compliance issues are not treated in time and are not resolved.			
		\boxtimes	2	Moderately effective: Around half of the non-compliance issues are treated in time and resolved.			
			3	Very effective: Most non-compliance issues are treated in time and resolved.			
		3) C	3) Compliance checks procedures				
			1	Not effective: Compliance checks rely solely on on-spot checks.			
			2	Moderately effective: Compliance checks use both on-spot checks and monitoring checks defined in EU regulations (Directives 91/271/EEC and 2000/60/EC)			
			3	Very effective: Compliance checks use on-spot checks, monitoring checks defined in EU regulations (Directives 91/271/EEC and 2000/60/EC), and include additional physiochemical parameters (e.g. micro-pollutants, trace residues from medicine).			
В.	Monitoring water reuse						





			'es				
1)	Are monitoring procedures defined within the water reuse standard?	×	lo (please describ ire defined): Follov io official regula nonitoring of water	wing EU an ation for	d WHO guid water reus	delines, but	
		\boxtimes	10				
2)	Do the monitoring procedures follow / are based on an established approach?		World Health Organisation approach (WHO)				
			ISO 16075:2016				
			Other (please describe below):				
			dentification of control of contr	critical cont	rol points	(or similar	
			Definition of war juality parameters ndicators	ter B	lealth iological		
					hysical		
	Does the monitoring procedures		Definition of critical limits for parameters & indicators				
3)	Does the monitoring procedures include one of the following (select all that apply):		On-line real-time monitoring				
			Manual monitoring				
			Other type(s) of monitoring method (please specify):				
			Procedures for initiating corrective actions				
			erification monitor	ring			
			Validation monitoring				
			Audits on the overall monitoring procedures				
	In documenting monitoring data, do you (select all that apply):		Release the data to the public / regular public reports				
4)			Use ICT methods to document data				
,			Other(s) (please describe below): Intern Data files (Excel)				
5)	Please provide information regarding the implementation of the monitoring procedures. Does the implementation run into any kind of problems? (For example, is there a frequent need to take corrective actions?)	was disc acc surf mar the imp	The monitoring of water bodies in which treated urban waste water or biodegradable industrial waste water is discharged is part of the state monitoring of water statu accordance with the regulations governing the status of surface waters, the state of groundwater or the management of bathing water quality, if it is expected the discharge of treated waste water will have a signific impact on the status of these water bodies or on the qu of bathing water.			ater is r status in atus of ected that significant	
0,	With 1 being not effective at all and 5 being absolutely effective, how good (overall) do you assess		2	3	4	5	
6)	(according to your own judgement) the quality of monitoring?			\boxtimes			





C.	Elements supporting monitoring					
1)	How would you assess the quality of the personnel that implements the monitoring?		1	Not adequately qualified: The personnel does not include specialised chemists, engineers or technicians.		
			2	Qualified: The personnel includes specialised chemists, engineers or technicians.		
			3	Qualified and up-to-date: The personnel includes specialised chemists, engineers or technicians, who undergo additional training regularly.		
2)	How would you assess the lab equipment used for monitoring?		1	Basic equipment: Can measure microorganisms, pathogens.		
			2	Adequate equipment: Can measure microorganisms, pathogens, water quality parameters (e.g. BOD5, TSS).		
			3	Advanced: Can measure microorganisms, pathogens, water quality parameters (e.g. BOD5, TSS), and additional parameters such as micro-pollutants, trace residues, heavy metals, and/or other physio-chemical parameters.		